

```

%_mprintto;
options notes nosource;
proc datasets lib=work nolist memtype=data kill; quit;
%put NOTE:
=====;
%put NOTE: Covance Study Number : 0000001063264;
%put NOTE: Client Protocol ID   : ZRHR-REXC-03-EU;
%put NOTE: Program Name        : t_hpmas.sas;
%put NOTE: Purpose              : table descriptive stats of hpmas ;
%put NOTE: ;
%put NOTE: Input Data           : ADAM.ADBX ADAM.ADSL;
%put NOTE: Output               : t_15_2_3_8(hpmas);
%put NOTE: Macros Called        : _MPRINTTO;
%put NOTE: ;
%put NOTE: Programmed by        : cvn_jhardman;
%put NOTE: Creation Date        : 2014-05-15;
%put NOTE: SAS Version          : 9.3;
%put NOTE: ;
%put NOTE: == Latest Run
=====;
%put NOTE: Run by                : &sysuserid;
%put NOTE: Date/Time             :
%sysfunc(putn(%sysfunc(date()),e8601da.))T%sysfunc(putn(%sysfunc(time()),
e86011z.));
%put NOTE: ;
%put NOTE: == Modification History
=====;
%put NOTE: Date      Initials   No. Reason;
%put NOTE: 16May2014  JMH        1)   removed comma from day 5 label;
%put NOTE: 16May2014  JMH        2)   presented BLQ;
%put NOTE: 16May2014  JMH        3)   Amended DPs for percent change;
%put NOTE: 10Jun2014  JMH        4)   Amended er-rors with merge ;
%put NOTE: 10Jun2014  JMH        5)   Amended units;
%put NOTE: 10Jun2014  JMH        6)   Amended BLQ footnote;
%put NOTE: 10Jun2014  JMH        7)   Added subpaging;
%put NOTE: 19Jun2014  JMH        8)   Amended label of Geometric CI and
added footnote;
%put NOTE: 19Jun2014  JMH        9)   Amended BLOQ footnote;
%put NOTE: 24Jun2014  JMH        10)  Updated in line with formatting
updates;
%put NOTE: 01Aug2014  JMH        11)  Updated in line with formatting
updates;
%put NOTE: 05Aug2014  JMH        12)  Amended stats;
%put NOTE: 16Sep2014  JMH        13)  Amended paging and proc report to
gfit data on one page ;
%put NOTE: 18Sep2014  JR         14)  Updated baseline footnote;
%put NOTE: 25Sep2014  JMH        15)  Amended BLQ;
%put NOTE: ;
%put NOTE:
=====;
options notes source source2 nofullstimer validvarname=upcase missing='
';
ods _all_ close;
ods listing;

```

```

*=====;
* START OF PROGRAM CODE ;
*=====;

%let tflno=T_15_02_03_08(hpma);

%let TFL_Part=%scan(&_SASPROGRAMFILE,-3,%str(/));

data _null_;
    tmp="&TFL_Part";
    if tmp not in ("dev" "qc") then call symput("TFL_Part", "prod");
    call symput('TFLpath', compress("&_SASPROGRAMFILE",""));
run;

*****;
* read in data ;
*****;

/*Use ADSL to get N values for column headers*/
data adsl;
    set adam.adsl(where=(fasfl='Y'));
run;

proc sort data=adsl nodupkey out=adsl1;
    by trt01an trt01a subjid;
run;

proc freq data=adsl1(where=(not missing(trt01an))) noprint;
    table trt01an*trt01a/ out =tot(drop=percent rename=(count=total));
run;

data tot2;
    set tot;
    call symput('trt' || compress(put(trt01an,best.)),
compress(total));
run;

/*Bring in appropriate data from ADBX*/
data adbx1;
    set adam.adbx(where=(anl02fl='Y' and fasfl='Y' and paramcd in
('U3HPMCRE')));
run;

data adbx;
    set adbx1;
    IF ABLFL='Y' THEN DO; AVISIT='Baseline'; AVISITN=100; END; /* 11)
JMH 01Aug2014 */
    IF AVISIT NE 'Baseline' AND AVISITN LT 101 THEN DELETE; /* 11) JMH
01Aug2014 */
    CALL SYMPUT("AVALU",LEFT(STRIP(AVALU))); /* 5) JMH 10Jun2014 */
run;

data adbx_orig;

```

```

        set adbx;
        statval=aval;
        type='abs';
        output;
        statval=pchg;
        type='pchg';
        output;
run;

proc sort data=adbx_orig;
    by type trtan trta avisitn avisit atptn atpt;
run;

proc means data=adbx_orig noprint;
    var statval;
    by type trtan trta avisitn avisit atptn atpt;
    output out=results02 n=n1 mean=mean1 std=std1 median=median1 min=min1
max=max1 q1=q1 q3=q3 lclm=lci1 uclm=uci1;
run;

data results03;
    set results02;
    attrib meansd length=$20.
            minmax length=$20.
            n      length=$20.
            median length=$20.
            quart  aci length=$20.;

    n = left(compress(put(n1,8.)));
    /*IF TYPE='abs' THEN DO;*/ /* 3) JMH 16May2014 */
    * differing DP per biomarker ;
    * HPMa has 0dp;
/*      if not missing(median1) then median =
left(compress(put(median1,8.1))); */
/*      if not missing(mean1) and not missing(std1) then meansd =
left(compress(put(mean1,8.1))) || ' (' ||
left(compress(put(0.01*ceil(std1/0.01),8.2))) || ')'; */
/*      if not missing(min1) and not missing(max1) then minmax =
left(compress(put(min1,8.))) || ', ' || left(compress(put(max1,8.)));*/
/*      if not missing(lci1) and not missing(uci1) then aci =
strip(put(0.1*floor(lci1/0.1),8.1)) || ', ' ||
strip(put(0.1*ceil(uci1/0.1),8.1)); */
/*      if not missing(q1) and not missing(q3) then quart =
strip(strip(put(0.1*FLOOR(q1/0.1),8.1)) || ', ' ||
strip(put(0.1*CEIL(q3/0.1),8.1))); /* 10) JMH 24Jun2014 */ */
/*      END;*/
        ELSE DO; /* 3) JMH 16May2014 */

/* 10) end JMH 24Jun2014 */
        IF NOT MISSING(MEDIAN1) THEN MEDIAN =
LEFT(COMPRESS(PUT(ROUND(MEDIAN1,0.01),8.2))); /* 12) JMH 05Aug2014 */
        IF NOT MISSING(MEAN1) AND NOT MISSING(STD1) THEN MEANSD =
LEFT(COMPRESS(PUT(ROUND(MEAN1,0.01),8.2))) || ' (' ||

```

```

LEFT(COMPRESS(PUT(0.001*CEIL(STD1/0.001),8.3))) || ')'; /* 12) JMH
05Aug2014 */
    IF NOT MISSING(MIN1) AND NOT MISSING(MAX1) THEN MINMAX =
LEFT(COMPRESS(PUT(ROUND(MIN1,0.1),8.1))) || ', ' ||
LEFT(COMPRESS(PUT(ROUND(MAX1,0.1),8.1))); /* 12) JMH 05Aug2014 */
    IF NOT MISSING(LCI1) AND NOT MISSING(UCI1) THEN ACI =
STRIP(PUT(0.01*FLOOR(LCI1/0.01),8.2)) || ', ' ||
STRIP(PUT(0.01*CEIL(UCI1/0.01),8.2));
    IF NOT MISSING(Q1) AND NOT MISSING(Q3) THEN QUART =
STRIP(STRIP(PUT(0.01*FLOOR(Q1/0.01),8.2)) || ', ' ||
STRIP(PUT(0.01*CEIL(Q3/0.01),8.2))); /* 10) JMH 24JUN2014 */
/*      END;*/

    drop /*n1*/ mean1 std1 median1 min1 max1 q1 q3 uci1 lci1 ; /*
15) JMH 25Sep2014 */
run;

```

```

/*Obtain subjects with values BLOQ*/

```

```

data adbx_blq;
    set adbx;
    where bloqfl='Y';
    statval=aval;
    type='abs';
    output;
    statsval=pchg;
    type='pch';
    output;
run;

```

```

proc freq data=adbx_blq noprint;
    table type*trtan*trta*avisitn*avisit*atptn*atpt/ out
=blq(drop=percent);
run;

```

```

%macro outrtf(blankn=, halfblnk=);

```

```

%if &halfblnk=N %then %let halfblnk=;
%else %if &halfblnk=Y %then %let halfblnk=~;

```

```

%let dsid=%sysfunc(open(blq));
%let nsum=%sysfunc(attrn(&dsid.,nobs));
%let rc=%sysfunc(close(&dsid.));

```

```

%put "Check " &nsum.;

```

```

%if &nsum. lt 1 %then %do;
    proc sort data=adbx_orig nodupkey out=tpts(keep=type avisitn
avisit atptn atpt trtan trta);
        by trtan trta type avisitn avisit atptn atpt;
    run;

```

```

        data blq1;
            set tpts;
            attrib blq length=$50.;
            blq='0';
        run;
    %end;

%else %do;
    /* 15) start JMH 25Sep2014 */
    /* 4) start JMH 10Jun2014 */
    /*DATA ADSL_BQ_ABS;*/
    /*    SET TOT;*/
    /*    ATTRIB AVISIT LENGTH=$40.*/
    /*                AVISITN LENGTH=8.*/
    /*                TYPE LENGTH=$3.;*/
    /*    RENAME TRT01AN=TRTAN;*/
    /*    RENAME TRT01A=TRTA;*/
    /*    TYPE='abs';*/

    /*    AVISITN=99;*/ /* 11) JMH 01Aug2014 */
    /*    AVISIT='Day -1';*/
    /*    OUTPUT;*/
    /*    AVISITN=100;*/
    /*    /*AVISIT=*//*'Day 0'*//*'Baseline';*/ /* 11) JMH 01Aug2014 */
    /*    OUTPUT;*/
    /*    AVISITN=101;*/
    /*    AVISIT='Day 1';*/
    /*    OUTPUT;*/
    /*    AVISITN=102;*/
    /*    AVISIT='Day 2';*/
    /*    OUTPUT;*/
    /*    AVISITN=103;*/
    /*    AVISIT='Day 3';*/
    /*    OUTPUT;*/
    /*    AVISITN=104;*/
    /*    AVISIT='Day 4';*/
    /*    OUTPUT;*/
    /*    AVISITN=105;*/
    /*    AVISIT='Day 5';*/
    /*    OUTPUT;*/
    /*RUN;*/
    /**/
    /*DATA ADSL_BQ_PCH;*/
    /*    SET TOT;*/
    /*    ATTRIB AVISIT LENGTH=$40.*/
    /*                AVISITN LENGTH=8.*/
    /*                TYPE LENGTH=$3.;*/
    /*    RENAME TRT01AN=TRTAN;*/
    /*    RENAME TRT01A=TRTA;*/
    /*    TYPE='pch';*/

    /*    AVISITN=99;*/ /* 11) JMH 01Aug2014 */
    /*    AVISIT='Day -1';*/

```

```

/*      OUTPUT;*/
/*      AVISITN=100;*/
/*      /*AVISIT=*//*'Day 0'/*/*'Baseline';*/ /* 11) JMH 01Aug2014 */
/*      OUTPUT;*/
/*      AVISITN=101;*/
/*      AVISIT='Day 1';*/
/*      OUTPUT;*/
/*      AVISITN=102;*/
/*      AVISIT='Day 2';*/
/*      OUTPUT;*/
/*      AVISITN=103;*/
/*      AVISIT='Day 3';*/
/*      OUTPUT;*/
/*      AVISITN=104;*/
/*      AVISIT='Day 4';*/
/*      OUTPUT;*/
/*      AVISITN=105;*/
/*      AVISIT='Day 5';*/
/*      OUTPUT;*/
/*RUN;*/

/*DATA ADSL_BLQ;*/
/*      MERGE ADSL_BLQ_ABS ADSL_BLQ_PCH;*/
/*      BY TYPE TRTAN TRTA AVISITN AVISIT;*/
/*RUN;*/
/**/
/*PROC SORT DATA=ADSL_BLQ; BY TRTAN TRTA; RUN;*/
/**/
/*DATA TOT3;*/
/*      SET TOT;*/
/*      RENAME TRT01AN=TRTAN;*/
/*      RENAME TRT01A=TRTA;*/
/*RUN;*/
/**/
/*DATA TOT_BLQ;*/
/*      MERGE ADSL_BLQ(IN=A) TOT3(IN=B);*/
/*      BY TRTAN TRTA;*/
/*RUN;*/
/**/
/*PROC SORT DATA=TOT_BLQ; BY TRTAN TRTA TYPE AVISITN AVISIT; RUN;*/

/* 4) end JMH 10Jun2014 */

/*data blq1;*/
/*      attrib blq length=$50.;*/
/*      /*merge blq(in=a)/* /*tot*/*/*TOT_BLQ;*/ /* 4) JMH
10Jun2014 */
/*      /*by trtan trta TYPE avisitn avisit*/ /*atptn
atpt*/*/*;*/ /* 4) JMH 10Jun2014 */
/*      if not a then do;*/
/*          count=0;*/
/*      end;*/
/*      percent1=count/total*100;*/

```

```

/*PERCENT=ROUND(PERCENT1,0.1);*/ /* 4) JMH 10Jun2014 */

/*
/*      if count=0 then blq='0';*/
/*      else if percent=100 then blq= put(count,3.)||'
(100%)';*/
/*else blq=put(count,3.)||'
('||put(percent,3.1*//*3.*//**)||'%')';*/ /* 4) JMH 10Jun2014 */
/*      run;*/

PROC SORT DATA=ADBX_ORIG NODUPKEY OUT=TPTS(KEEP=TYPE AVISITN AVISIT
ATPTN ATPT TRTAN TRTA);
BY TRTAN TRTA TYPE AVISITN AVISIT ATPTN ATPT;
RUN;

DATA BLQTOTS;
SET RESULTS03(RENAME=(N1=TOTAL));
KEEP TYPE TR: AVISIT: ATPT: TOTAL;
RUN;

PROC SORT DATA=BLQTOTS; BY TYPE TRTAN TRTA AVISITN AVISIT;
RUN;

PROC SORT DATA=TPTS; BY TYPE TRTAN TRTA AVISITN AVISIT; RUN;

DATA TOT_BLQ;
MERGE TPTS BLQTOTS;
BY TYPE TRTAN TRTA AVISITN AVISIT;
RUN;

PROC SORT DATA=TOT_BLQ;
BY TYPE TRTAN TRTA AVISITN AVISIT ATPTN ATPT;
RUN;

DATA BLQ1;
ATTRIB BLQ LENGTH=$50.;
MERGE BLQ(IN=A) TOT_BLQ;
BY TYPE TRTAN TRTA AVISITN AVISIT ATPTN ATPT;
IF NOT A THEN DO;
COUNT=0;
END;
IF TOTAL NE 0 THEN PERCENT=COUNT/TOTAL*100;
ELSE PERCENT=0;

IF COUNT=0 THEN BLQ='0';
ELSE IF PERCENT=100 THEN BLQ= PUT(COUNT,3.)||' (100%)';
ELSE BLQ=PUT(COUNT,3.)||'
('||LEFT(STRIP(PUT(ROUND(PERCENT,0.1),5.1)))||'%')';

IF TYPE='pch' THEN BLQ='';
RUN;

PROC SORT DATA=BLQ1;
BY TRTAN TRTA TYPE AVISITN AVISIT ATPTN ATPT;
RUN;
/* 15) end JMH 25Sep2014 */
%end;

```

```

/*Obtain the geometric mean*/

data gmean;
    set adbx_orig(where=(type='abs'));
    statvall=statval;
    if aval gt 0 then ln_statvall=log(statvall);
run;

proc means data=gmean noprint;
    output out=gmean1 mean=mean std=std1 lclm=lcil uclm=ucil nmiss=miss;
    var ln_statvall;
    by trtan trta type avisitn avisit atptn atpt;
run;

data gmean2;
    set gmean1;
    gmean1=exp(mean);
    if miss = 0 then do;
        gmean=left(compress(put(ROUND(gmean1,0.01),8.2/*1*/))); /* 9) JMH
24Jun2014 */
/*      gcv=compress(put(0.1*ceil((sqrt(exp(std1*std1)-
1)*100)/0.1),8.1)); */
        GCV=COMPRESS(PUT(0.01*CEIL((SQRT(EXP(STD1*STD1)-
1)*100)/0.01),8.2)); /* 9) JMH 24Jun2014 */
        glci=exp(lcil);
        guci=exp(ucil);
    end;
    keep type trtan trta avisitn avisit atptn atpt gmean gcv glci guci std1
miss;
run;

/*Combine the Gmean and BLQ with other stats*/
proc sort data=results03;
    by trtan trta type avisitn avisit atptn atpt;
run;

data results04;
    merge results03 gmean2 blq1;
    attrib gmeancv length=$20.;
    by trtan trta type avisitn avisit atptn atpt;
    if miss = 0 then do;
        if not missing(gcv) then gmeancv=left(trim(gmean)) || ' (' ||
left(trim(gcv)) || '%)';
        else gmeancv=left(trim(gmean));
/*      if not missing(glci) and not missing(guci) then ci =
strip(strip(put(0.1*floor(glci/0.1),8.1)) || ', ' ||
strip(put(0.1*ceil(guci/0.1),8.1))); */
        IF NOT MISSING(GLCI) AND NOT MISSING(GUCI) THEN CI =
STRIP(STRIP(PUT(0.01*FLOOR(GLCI/0.01),8.2)) || ', ' ||
STRIP(PUT(0.01*CEIL(GUCI/0.01),8.2))); /* 9) JMH 24Jun2014 */
    end;
run;

```



```

proc sort data=results04;
  by trtan trta type avisitn avisit atptn atpt;
run;

proc sort data=blq1;
  by trtan trta type avisitn avisit atptn atpt;
run;

data results05;
  merge results04 blq1;
  by trtan trta type avisitn avisit atptn atpt;
  IF TYPE = 'pch' THEN BLQ = '';

  if type='abs' then aci='';
run;

proc sort data=results05;
  by type avisitn avisit atptn atpt;
run;

proc transpose data=results05(where=(type='abs')) out=results06 prefix=r
name=varname;
  by avisitn avisit atptn atpt;
  var n meansd median minmax aci quart blq gmeancv ci;
  id trtan;
  idlabel trta;
run;

proc transpose data=results05(where=(type='pch' and avisitn>100))
out=results06c prefix=c name=varname;
  by avisitn avisit atptn atpt;
  var n meansd median minmax aci quart blq;
  id trtan;
  idlabel trta;
run;

proc sort data=results06;
  by avisitn avisit atptn atpt varname;
run;

proc sort data=results06c;
  by avisitn avisit atptn atpt varname;
run;

data results07;
  merge results06 results06c;
  by avisitn avisit atptn atpt varname;
  attrib stat variable length = $100.;
  varname=upcase(varname);

```

```

/*      if avisitn gt 104 then variable=compbl(avisit ||', '|| atpt);*/ /*
1) JMH 16May2014 */
/*else*/ variable=compbl(avisit);

    if varname='N' then do;
        statord=1;
        stat='n';
    end;
    else if varname='BLQ' then do;
        statord=2;
        stat='BLOQ - n (%)';
        /*delete;*/ /* 2) JMH 16May2014 */
    end;
    else if varname='GMEANCV' then do;
        statord=3;
        stat='Geometric Mean (CV%)';
    end;
    else if varname='CI' then do;
        statord=4;
        /*      stat='95% CI'; */
        STAT='Geometric 95% CI'; /* 8) JMH 19Jun2014 */ /* 10) JMH
24Jun2014 */
    end;
    else if varname='MEDIAN' then do;
        statord=5;
        stat='Median';
    end;
    else if varname='QUART' then do;
        statord=6;
        stat='Q25, Q75';
    end;
    else if varname='MINMAX' then do;
        statord=7;
        stat='Min, Max';
    end;
    else if varname='MEANSD' then do;
        statord=8;
        stat='Mean (SD)';
    end;
    else if varname='ACI' then do;
        statord=9;
        stat='95% CI';
    end;
    drop varname;
run;

data results08;
    set results07;

    if stat='N' then do;
        * havent set changes to missing as not expected ;
        if missing(r1) then r1='0';
        if missing(r2) then r2='0';
    end;

```

```

        if missing(r3) then r3='0';
    end;
run;

data labels;
set results08;
    attrib r1 label = "Raw$value"
           r2 label = "Raw$value"
           r3 label = "Raw$value"
           c1 label = '%Change$(*)'
           c2 label = '%Change$(*)'
           c3 label = '%Change$(*)';

        if index(variable,'T0') then
variable=tranwrd(variable,'T0','T${suB 0}');

                                flag=1;

run;

proc sql noprint;
    create table table.T_15_02_03_08 as
    select avisitn, atpt, variable, statord, stat, r1, c1, r2, c2, r3,
c3
    from labels
    order by avisitn, atptn, statord;
quit;

proc sort data=labels;
    by avisitn atptn statord;
run;

data paging;
    set labels;
    by avisitn atptn statord;
    if (first.avisitn or first.atptn) or ln > 16 then ln=1; /*Amend to
look presentable, and avoid page overflows*/
    else ln+1;
    if ln=1 then page+1;
    call symput("page",compress(page,best.));
run;

options number nodate orientation=landscape papersize=&p_pgsz missing='
';
ods escapechar='$';
%let linetop = \brdrt\brdrs\brdrw30;  * needs to be 1.5pt so calculated
in twips (1/20 pt) ;
%let linebot = \brdrb\brdrs\brdrw30;

ods path stdlib.tl106324 (read) ;
ods results off;

```

```

ods rtf toc_data
file="/cvn/projects/prj/data/000000106324/TFL/&TFL_Part./&tflno..rtf"
style=t106324 startpage=yes headery=1440 footery=1440 ;
ods noproctitle;

%do i=1 %to &page;

title ;
footnote;
%let wd=0;
/* 7) START JMH 10Jun2014 */
%LET SUBPAGE=1/*2*/; /* 13) JMH 16Sep2014 */

%DO J=1 %TO &SUBPAGE;

%LET MAXPAGE=%EVAL(&PAGE*&SUBPAGE);

%LET NPAGE=%EVAL(&SUBPAGE*&I+&J-&SUBPAGE);
/* 7) END JMH 10Jun2014 */

data comp;
    set paging end=eof;
    where page=&i;

    /* Amend title as needed */
    _firtitl="Table 15.2.3.8 Descriptive Statistics of 3-HPMA Urinary
Concentration Adjusted for Creatinine";
    _upcas=(length("Path: &TFLpath.")-
length(compress("Path:&TFLpath.",'ABCDEFGHIJKLMNOPQRSTUVWXYZ')))/2;
    len=&blankn.-length("&Npage &i of &MAXpage"); /* 7) JMH 10Jun2014
*/
    if eof then do;
        call symput('_FSRTITL', trim(left(_firtitl)));
        call symput('_blankn', compress(put(len,best.)));
    end;

    drop _firtitl _upcas len;
run;

ods proclabel = ' ';
ods listing close;

* most set up in template others below;
* title arial 12pt bold with 12pt paragraph space below;
* all headers to be arial 11pt bold;
* data arial 10pt;
* headers to be central, text values left aligned and numeric centered
around decimal point;
proc report data = comp missing headline headskip missing nowd split =
'$' %if &i=1 AND &J=1 %then %do; contents=' ' %end; %else %do;
contents='' %end;;; /* 7) JMH 10Jun2014 */

```

```

        column flag page avisitn atptn variable statord stat %IF &J=1 %THEN
%DO; ("THS 2.2$(N=&trt1)&linebot" r1 c1)
      ("CC$(N=&trt2)&linebot" r2 c2) /*%END; %ELSE %DO;*/
      ("SA$(N=&trt3)&linebot" r3 c3) %END;; /* 13) JMH 16Sep2014 */

      define flag          / order order = internal noprint;
      define page          / order order = internal noprint;
      define avisitn       / order order=internal noprint;
      define atptn         / order order=internal noprint;
      define variable      / group style={just=left
cellwidth=1.1/*1.8*//*2*/cm} style(header)={just=center} "Timepoint"; /*
10) JMH 24Jun2014 */ /* 13) JMH 16Sep2014 */
      define statord       / order order = internal noprint;
      define stat          / display style={just=left
cellwidth=2.1/*2.3*//*3*/cm} style(header)={just=center} "Statistic"; /*
10) JMH 24Jun2014 */ /* 13) JMH 16Sep2014 */
      %IF &J=1 %THEN %DO; /* 7) JMH 10Jun2014 */
      define r1            / display style={just=CENTER/*d*/
cellwidth=1.5cm} style(header)={just=center}; /* 10) JMH 24Jun2014 */
      define r2            / display style={just=CENTER/*d*/
cellwidth=/*1.5*/1.65cm} style(header)={just=center}; /* 13) JMH
16Sep2014 */
      define c1            / display style={just=CENTER/*d*/
cellwidth=1.5cm} style(header)={just=center};
      define c2            / display style={just=CENTER/*d*/
cellwidth=1.5cm} style(header)={just=center};
/* %END;*/ /* 13) JMH 16Sep2014 */
/* %ELSE %DO;*/ /* 13) JMH 16Sep2014 */
      define r3            / display style={just=CENTER/*d*/
cellwidth=1.5cm} style(header)={just=center};
      define c3            / display style={just=CENTER/*d*/
cellwidth=1.5cm} style(header)={just=center}; /* 10) JMH 24Jun2014 */
      %END;

      break before flag / page %if &i=1 AND &J=1 %then %do; /* 7) JMH
10Jun2014 */
      contents="&_fsrtitl" %end; %else %do; contents='' %end;;

      break after page / page;

      compute after variable;
      line " ";
      endcomp;

      compute before page / style={protectspecialchars=off};;
      line "&linetop";
      endcomp;

/*      compute after page/style={just=left cellwidth=5cm
protectspecialchars=off};*/ /* 11) JMH 01Aug2014 */
/*      line "&linebot" ;*/
/*      endcomp;*/

```

```

        compute before _page_ / style={just=left protectspecialchars=off};
        line "\b\fs24\sa24&_FSRTITL." ; * \b = bold, \fs24 is font
size 12pt, \sa24 is space after 12pt;
/*          line "\b\fs24\sa24(ng/mL / mg/dL creat) - FAS";*/
          line "\b\fs24\sa24(&avalu) - FAS"; /* 5) JMH 10Jun2014
*/
        line "&linebot";
    endcomp;

    compute after _page_ / style={just=left protectspecialchars=off
PRETEXT="&LINETOP."}; /* 11) JMH 01Aug2014 */
        line 'Note: CC = Conventional cigarettes; SA = Smoking
abstinence; THS = Tobacco Heating System.';
        /*LINE "Note: Geo 95% CI represents the 95% CI of the geometric
mean.";*/ /* 8) JMH 19Jun2014 */
        LINE 'Note: Geometric: mean, CV% and 95% confidence interval
(CI) are reported.'; /* 10) JMH 24Jun2014 */
        line "Note: * % change from baseline, where baseline is the
last assessment prior to first product use in CC/THS 2.2 arms on Day 1 or
last assessment prior to 06:29 AM in SA arm on Day 1."; /* 14) JR
18Sep2014 */
/*          line "Note: * % change from baseline, where baseline is
defined as the last assessment prior to 06:29 AM on Day 1.";*/
        line "Note: Collection over 24 hours starting on the Day
stated in the table.";
        %if &nsum. ge 1 %then %do;
            /*line 'Note: LOQ = XX %';*/ /*Update this value if
required*/
            /*LINE 'Note: LOQ = 20.0 ng/mL';*/ /* 6) JMH 10Jun2014 */
            /*LINE 'Note: BLOQ = 20.0 ng/mL';*/ /* 9) JMH 19Jun2014 */
            LINE "Note: BLOQ = number of observations imputed using half
limit of quantification (20.0 ng/mL)."; /* 11) JMH 01Aug2014 */
        %end;
        line ' ';
        line 'Appendix 15.3.3.1';
        line "Path: &TFLpath." &_blankn."~\~\" "(Page &NPAGE of
&MAXpage)"; /* 7) JMH 10Jun2014 */
        line "Program Run: &sysdate &sysuserid Program Status:
&status";
    endcomp;
run;
%END; /* 7) JMH 10Jun2014 */
%end;
ods rtf close;
ods results on;
ods path sashelp.tmplmst (read);

%mend ;

%outrtf(blankn=65, halfblnk=N);
ods listing;
proc printto print = "&table./T_15_02_03_08.lst" new;
run;

```

```
proc contents data = table.T_15_02_03_08 varnum;
run;
ods listing close;
proc printto ; run;
*=====;
* END OF PROGRAM CODE ;
*=====;
```