

```

%_mprintto;
options notes nosource;
proc datasets lib=work nolist memtype=data kill; quit;
%put NOTE:
=====;
%put NOTE: Covance Study Number : 0000001063264;
%put NOTE: Client Protocol ID   : ZRHR-REXC-03-EU;
%put NOTE: Program Name        : t_uquant.sas;
%put NOTE: Purpose              : table decriptive stats of MHBMA ;
%put NOTE: ;
%put NOTE: Input Data           : ADAM.ADBX ADAM.ADSL;
%put NOTE: Output               : t_15_2_4_3(mhbma);
%put NOTE: Macros Called        : _MPRINTTO;
%put NOTE: ;
%put NOTE: Programmed by        : cvn_aobyrne;
%put NOTE: Creation Date        : 2014-05-15;
%put NOTE: SAS Version          : 9.3;
%put NOTE: ;
%put NOTE: == Latest Run
=====;
%put NOTE: Run by                : &sysuserid;
%put NOTE: Date/Time             :
%sysfunc(putn(%sysfunc(date()),e8601da.))T%sysfunc(putn(%sysfunc(time()),
e86011z.));
%put NOTE: ;
%put NOTE: == Modification History
=====;
%put NOTE: Date      Initials   No. Reason;
%put NOTE: 21May2014  AOB        1) Decimal places amended;
%put NOTE: 21May2014  AOB        2) N numbers added to column headers;
%put NOTE: 21May2014  AOB        3) Title amended;
%put NOTE: 21May2014  AOB        4) Footnote amended;
%put NOTE: 21May2014  AOB        5) Output filename amended;
%put NOTE: 21May2014  AOB        6) BLOQ counts added to output;
%put NOTE: 09Jun2014  JR         7) Amended errors in log;
%put NOTE: 10Jun2014  JMH        8) Increased column width of timepoint;
%put NOTE: 11Jun2014  JR         9) Amended errors/units;
%put NOTE: 11Jun2014  JMH        10) Removed comma from Day 5;
%put NOTE: 19Jun2014  JMH        11) Amended label of Geometric CI and
added footnote;
%put NOTE: 19Jun2014  JMH        12) Amended BLOQ footnote;
%put NOTE: 24Jun2014  JMH        13) Amended in line with formatting
updates;
%put NOTE: 01Aug2014  JMH        14) Amended in line with formatting
updates;
%put NOTE: 05Aug2014  JMH        15) Amended BLOQ count format;
%put NOTE: 19Sep2014  KB         16) Amended baseline footnote;
%put NOTE: 25Sep2014  JR         17) Amended BLOQ percentage
calculation;
%put NOTE: ;
%put NOTE:
=====;
options notes source source2 nofullstimer validvarname=upcase missing='
';

```

```

ods _all_ close;
ods listing;

*=====;
* START OF PROGRAM CODE                                     ;
*=====;

/*let tflno=T_15_02_04_03(uquant);*/
%let tflno=T_15_02_04_03(mhbma);/*5)  AOB 21May2014 */

%let TFL_Part=%scan(&_SASPROGRAMFILE,-3,%str(/));

data _null_;
    tmp="&TFL_Part";
    if tmp not in ("dev" "qc") then call symput("TFL_Part", "prod");
    call symput('TFLpath', compress("&_SASPROGRAMFILE",""));
run;

*****;
* read in data ;
*****;

/*Use ADSL to get N values for column headers*/
data adsl;
    set adam.adsl(where=(fasfl='Y'));
run;

proc sort data=adsl nodupkey out=adsl1;
    by trt01an trt01a subjid;
run;

proc freq data=adsl1(where=(not missing(trt01an))) noprint;
    table trt01an*trt01a/ out =tot(drop=percent rename=(count=total));
run;

data tot2;
    set tot;
    call symput('trt' || compress(put(trt01an,best.)),
compress(total));
run;

/*Bring in appropriate data from ADBX*/
data adbx1;
    set adam.adbx(where=(anl02fl='Y' and fasfl='Y' and paramcd in
('UMHBM24U')));
run;

/* start 7) JR 09Jun2014 */ /* 9) JR 11Jun2014 */
/*PROC SORT DATA=ADBX1 NODUPKEY OUT=ADBXVIS;*/
/*    BY TRTAN TRTA AVISITN AVISIT SUBJID;*/
/*RUN;*/
/**/
/*PROC FREQ DATA=ADBXVIS(WHERE=(NOT MISSING(TRTAN))) NOPRINT; */

```

```

/*      TABLE TRTAN*TRTA*AVISITN*AVISIT/ OUT =TOTVIS (DROP=PERCENT
RENAME=(COUNT=TOTAL)); */
/*RUN; */
/* end 7) JR 09Jun2014 */

data adbx;
    set adbx1;
    IF ABLFL='Y' THEN DO; AVISIT='Baseline'; AVISITN=100; END; /* 14)
JMH 01Aug2014 */
    IF AVISIT NE 'Baseline' AND AVISITN LT 101 THEN DELETE; /* 14) JMH
01Aug2014 */

    IF INDEX(AVALU, 'µg') THEN AVALU = '\u956 g';
    CALL SYMPUT("AVALU",LEFT(STRIP(AVALU))); /* 8) JR 11Jun2014 */
run;

data adbx_orig;
    set adbx;
    statval=aval;
    type='abs';
    output;
    statval=pchg;
    type='pchg';
    output;
run;

proc sort data=adbx_orig;
    by type trtan trta avisitn avisit atptn atpt;
run;

proc means data=adbx_orig noprint;
    var statval;
    by type trtan trta avisitn avisit atptn atpt;
    output out=results02 n=n1 mean=mean1 std=std1 median=median1 min=min1
max=max1 q1=q1 q3=q3 lclm=lci1 uclm=uci1;
run;

data results03;
    set results02;
    attrib meansd length=$20.
            minmax length=$20.
            n        length=$20.
            median length=$20.
            quart  aci length=$20.;

    n = left(compress(put(n1,8.)));
    * differing DP per biomarker ;
    * COHb as 1dp;
    if not missing(median1) then median =
left(compress(put(median1,/*8.1*/ 8.2))); /* 1) AOB 21May2014 */
    if not missing(mean1) and not missing(std1) then meansd =
left(compress(put(mean1,/*8.1*/ 8.2))) || ' (' ||

```

```

left(compress(put(0.001*ceil(std1/0.001),/*8.2*/ 8.3))) || ' '; /* 1+
AOB 21May2014 */

```

```

    if not missing(min1) and not missing(max1) then minmax =
left(compress(put(min1,/*8.*/ 8.1))) || ', ' ||
left(compress(put(max1,/*8.*/ 8.1)));/* 1)  AOB 21May2014 */
    if not missing(lcil) and not missing(ucil) then aci =
strip(put(0.01*floor(lcil/0.01),8.2)) || ', ' ||
strip(put(0.01*ceil(ucil/0.01),8.2));
    IF NOT MISSING(Q1) AND NOT MISSING(Q3) THEN QUART =
STRIP(STRIP(PUT(0.01*FLOOR(Q1/0.01),8.2)) || ', ' ||
STRIP(PUT(0.01*CEIL(Q3/0.01),8.2))); /* 13)  JMH 24JUN2014 */

```

```

    drop /*n1*/ mean1 std1 median1 min1 max1 q1 q3 ucil lcil ; /* 17)  JR
25Sep2014 */
run;

```

```

/*Obtain subjects with values BLOQ*/
data adbx_blq;
    set adbx;
    where bloqfl='Y';
    statval=aval;
    type='abs';
    output;
    statsval=pchg;
    type='pch';
    output;
run;

```

```

proc freq data=adbx_blq noprint;
    table type*trtan*trta*avisitn*avisit*atptn*atpt/ out
=blq(drop=percent);
run;

```

```

%macro outrtf(blankn=, halfblnk=);

```

```

%if &halfblnk=N %then %let halfblnk=;
%else %if &halfblnk=Y %then %let halfblnk=~;

```

```

%let dsid=%sysfunc(open(blq));
%let nsum=%sysfunc(attrn(&dsid.,nobs));
%let rc=%sysfunc(close(&dsid.));

```

```

%put "Check " &nsum.;

```

```

%if &nsum. lt 1 %then %do;
    proc sort data=adbx_orig nodupkey out=tpts(keep=type avisitn
avisit atptn atpt trtan trta);
        by trtan trta type avisitn avisit atptn atpt;
    run;

```

```

        data blq1;
            set tpts;
            attrib blq length=$50.;
            blq='0';
        run;
    %end;

/*%else %do;*/
/*    PROC SORT DATA= BLQ; *//* 7) JR 09Jun2014 */
/*        BY TRTAN TRTA AVISITN AVISIT; */
/*    RUN;*/

/*        data blq1;*/
/*            attrib blq length=$50.;*/
/*            /*merge blq(in=a) tot TOTVIS;*/ /* 7) JR 09Jun2014 */
/*            /*by trtan trta avisitn avisit atptn atpt;*/ /* 7) JR
09Jun2014 */
/*                if not a then do;*/
/*                    count=0;*/
/*                end;*/
/*                percent=count/total*100;*/
/*                */
/*                if count=0 then blq='0';*/
/*                else if percent=100 then blq= put(count,3.)||'
(100%)';*/
/*                else blq=put(count,3.)||' ('||put(percent,3.)||'%)';*/
/*            run;*/
/*%end;*/
%else %do;
/* Start 9) JR 11Jun2014 */
/*DATA ADSL_BLQ_ABS;*/
/*    SET TOT;*/
/*    ATTRIB AVISIT LENGTH=$40.*/
/*                AVISITN LENGTH=8.*/
/*                TYPE LENGTH=$3.;*/
/*    RENAME TRT01AN=TRTAN;*/
/*    RENAME TRT01A=TRTA;*/
/*    TYPE='abs';*/

/*    AVISITN=99;*/ /* 14) JMH 01Aug2014 */
/*    AVISIT='Day -1';*/
/*    OUTPUT;*/
/*    AVISITN=100;*/
/*    /*AVISIT='Baseline'*/ /*'Day 0';*/ /* 14) JMH 01Aug2014 */
/*    OUTPUT;*/
/*    AVISITN=101;*/
/*    AVISIT='Day 1';*/
/*    OUTPUT;*/
/*    AVISITN=102;*/
/*    AVISIT='Day 2';*/
/*    OUTPUT;*/
/*    AVISITN=103;*/
/*    AVISIT='Day 3';*/

```

```

/*      OUTPUT;*/
/*      AVISITN=104;*/
/*      AVISIT='Day 4';*/
/*      OUTPUT;*/
/*      AVISITN=105;*/
/*      AVISIT='Day 5';*/
/*      OUTPUT;*/
/*RUN;*/
**/
/*DATA ADSL_BQ_PCH;*/
/*      SET TOT;*/
/*      ATTRIB AVISIT LENGTH=$40.*/
/*              AVISITN LENGTH=8.*/
/*              TYPE LENGTH=$3.;*/
/*      RENAME TRT01AN=TRTAN;*/
/*      RENAME TRT01A=TRTA;*/
/*      TYPE='pch';*/

/*      AVISITN=99;*/ /* 14) JMH 01Aug2014 */
/*      AVISIT='Day -1';*/
/*      OUTPUT;*/
/*      AVISITN=100;*/
/*      AVISIT='Baseline'*/ /*'Day 0';*/ /* 14) JMH 01Aug2014 */
/*      OUTPUT;*/
/*      AVISITN=101;*/
/*      AVISIT='Day 1';*/
/*      OUTPUT;*/
/*      AVISITN=102;*/
/*      AVISIT='Day 2';*/
/*      OUTPUT;*/
/*      AVISITN=103;*/
/*      AVISIT='Day 3';*/
/*      OUTPUT;*/
/*      AVISITN=104;*/
/*      AVISIT='Day 4';*/
/*      OUTPUT;*/
/*      AVISITN=105;*/
/*      AVISIT='Day 5';*/
/*      OUTPUT;*/
/*RUN;*/
**/
/*DATA ADSL_BQ;*/
/*      MERGE ADSL_BQ_ABS ADSL_BQ_PCH;*/
/*      BY TYPE TRTAN TRTA AVISITN AVISIT;*/
/*RUN;*/
**/
/*PROC SORT DATA=ADSL_BQ; BY TRTAN TRTA; RUN;*/
**/
/*DATA TOT3;*/
/*      SET TOT;*/
/*      RENAME TRT01AN=TRTAN;*/
/*      RENAME TRT01A=TRTA;*/
/*RUN;*/
**/

```

```

/*DATA TOT_BLQ;*/
/*    MERGE ADSL_BLQ(IN=A) TOT3(IN=B);*/
/*    BY TRTAN TRTA;*/
/*RUN;*/
/**/
/*PROC SORT DATA=TOT_BLQ; BY TRTAN TRTA TYPE AVISITN AVISIT; RUN;*/
/*PROC SORT DATA=BLQ; BY TRTAN TRTA TYPE AVISITN AVISIT; RUN;*/
/* End 9) JR 11Jun2014 */

/* START 17) JR 25Sep2014 */
    PROC SORT DATA=ADBX_ORIG NODUPKEY OUT=TPTS(KEEP=TYPE AVISITN AVISIT
ATPTN ATPT TRTAN TRTA);
        BY TRTAN TRTA TYPE AVISITN AVISIT ATPTN ATPT;
    RUN;

    DATA BLQTOTS;
        SET RESULTS03(RENAME=(N1=TOTAL));
        KEEP TYPE TR: AVISIT: ATPT: TOTAL;
    RUN;

    PROC SORT DATA=BLQTOTS; BY TRTAN TRTA TYPE AVISITN AVISIT; RUN;
    PROC SORT DATA=TPTS; BY TRTAN TRTA TYPE AVISITN AVISIT; RUN;

    DATA TOT_BLQ;
        MERGE TPTS BLQTOTS;
        BY TRTAN TRTA TYPE AVISITN AVISIT;
    RUN;

    PROC SORT DATA=TOT_BLQ;
        BY TRTAN TRTA TYPE AVISITN AVISIT ATPTN ATPT;
    RUN;
    PROC SORT DATA=BLQ;
        BY TRTAN TRTA TYPE AVISITN AVISIT ATPTN ATPT;
    RUN;
/* end 17) JR 25Sep2014 */

data blq1;
    attrib blq length=$50.;
    merge blq(in=a) /*tot*/TOT_BLQ; /* 9) JR 11Jun2014 */
    by trtan trta TYPE avisitn avisit /*atptn atpt*/; /* 9)
JR 11Jun2014 */
    if not a then do;
        count=0;
    end;
    IF TOTAL NE 0 THEN percent1=count/total*100;/* 17) JR
25Sep2014 */
    ELSE PERCENT = 0;
    PERCENT=ROUND(PERCENT1,0.1); /* 9) JR 10Jun2014 */

    if count=0 then blq='0';
    else if percent=100 then blq= put(count,3.)||' (100%)';

```

```

                else blq=put(count,3.)||'
('||put(percent,5.1/*3.1*//*3.*)||'%)'; /* 9) JR 11Jun2014 */ /* 15)
JMH 05Aug2014 */
                run;
%end;

/*Obtain the geometric mean*/

data gmean;
    set adbx_orig(where=(type='abs'));
    statvall=statval;
    ln_statvall=log(statvall);
run;

proc means data=gmean noprint;
    output out=gmean1 mean=mean std=std1 lclm=lci1 uclm=uci1;
    var ln_statvall;
    by trtan trta type avisitn avisit atptn atpt;
run;

data gmean2;
    set gmean1;
    gmean1=exp(mean);
    gmean=left(compress(put(gmean1,/*8.1*/8.2)));/* 1) AOB 21May2014 */
    gcv=compress(put(0.01*ceil((sqrt(exp(std1*std1)-1)*100)/0.01),/*8.2*/
/*8.3*/8.2)); /* 1) AOB 21May2014 */ /* 14) JMH 01Aug2014 */
    glci=exp(lci1);
    guci=exp(uci1);
    keep type trtan trta avisitn avisit atptn atpt gmean gcv glci guci
std1;
run;

/*Combine the Gmean and BLQ with other stats*/
proc sort data=results03;
    by trtan trta type avisitn avisit atptn atpt;
run;

proc sort data=blq1;
    by trtan trta type avisitn avisit atptn atpt;
run;

data results04;
    merge results03 gmean2 blq1;
    attrib gmeancv length=$20.;
    by trtan trta type avisitn avisit /*atptn atpt*/;
    if not missing(gcv) then gmeancv=left(trim(gmean)) || ' (' ||
left(trim(gcv))||'%)';
    else gmeancv=left(trim(gmean));
    if not missing(glci) and not missing(guci) then ci =
strip(strip(put(0.01*floor(glci/0.01),8.2)) || ', ' ||
strip(put(0.01*ceil(guci/0.01),8.2)));
run;

```



```

proc sort data=results04;
  by trtan trta type avisitn avisit atptn atpt;
run;

proc sort data=blq1;
  by trtan trta type avisitn avisit atptn atpt;
run;

data results05;
  merge results04 blq1;
  by trtan trta type avisitn avisit atptn atpt;

      IF TYPE = 'pch' THEN BLQ = '';
      if type='abs' then aci='';
run;

proc sort data=results05;
  by type avisitn avisit atptn atpt;
run;

proc transpose data=results05(where=(type='abs')) out=results06 prefix=r
name=varname;
  by TYPE avisitn avisit atptn atpt;
  var n meansd median minmax aci quart blq gmeancv ci;
  id trtan;
  idlabel trta;
run;

proc transpose data=results05(where=(type='pch' and avisitn>100))
out=results06c prefix=c name=varname;
  by avisitn avisit atptn atpt;
  var n meansd median minmax aci quart blq;
  id trtan;
  idlabel trta;
run;

proc sort data=results06;
  by avisitn avisit atptn atpt varname;
run;

proc sort data=results06c;
  by avisitn avisit atptn atpt varname;
run;

data results07;
  merge results06 results06c;
  by avisitn avisit atptn atpt varname;
  attrib stat variable length = $100.;
  varname=upcase(varname);

/*    if avisitn gt 104 then variable=compbl(avisit ||', '|| atpt);*/ /*
10) JMH 11Jun2014 */

```

```

/*else*/ variable=compbl(avisit);

if varname='N' then do;
    statord=1;
    stat='n';
end;
else if varname='BLQ' then do;
    statord=2;
    stat='BLOQ - n (%)';
/*
    delete;          *//* 6) AOB 21May2014 */
end;
else if varname='GMEANCV' then do;
    statord=3;
    stat='Geometric Mean (CV%)';
end;
else if varname='CI' then do;
    statord=4;
/*
    stat='95% CI'; */
    STAT='Geometric 95% CI'; /* 11) JMH 19Jun2014 */ /* 13) JMH
24Jun2014 */
end;
else if varname='MEDIAN' then do;
    statord=5;
    stat='Median';
end;
else if varname='QUART' then do;
    statord=6;
    stat='Q25, Q75';
end;
else if varname='MINMAX' then do;
    statord=7;
    stat='Min, Max';
end;
else if varname='MEANSD' then do;
    statord=8;
    stat='Mean (SD)';
end;
else if varname='ACI' then do;
    statord=9;
    stat='95% CI';
end;
drop varname;
run;

data results08;
    set results07;

    if stat='N' then do;
        * havent set changes to missing as not expected ;
        if missing(r1) then r1='0';
        if missing(r2) then r2='0';
        if missing(r3) then r3='0';
    end;

```

```

run;

data labels;
set results08;
    attrib r1 r2 r3 label = "Raw value"
           c1 c2 c3 label = '% Change (*)';

           if index(variable,'T0') then
variable=tranwrd(variable,'T0','T${suB 0}');

                                flag=1;

run;

proc sql noprint;
    create table table.T_15_02_04_03 as
    select avisitn, atpt, variable, statord, stat, r1, c1, r2, c2, r3,
c3
    from labels
    order by avisitn, atptn, statord;
quit;

proc sort data=labels;
    by avisitn atptn statord;
run;

data paging;
    set labels;
    by avisitn atptn statord;
    if (first.avisitn or first.atptn) or ln > 16 then ln=1; /*Amend to
look presentable, and avoid page overflows*/
    else ln+1;
    if ln=1 then page+1;
    call symput("page",compress(put(page,best.)));
run;

options number nodate orientation=landscape papersize=&p_pgsz missing='
';
ods escapechar='$';
%let linetop = \brdrt\brdrs\brdrw30; * needs to be 1.5pt so calculated
in twips (1/20 pt) ;
%let linebot = \brdrb\brdrs\brdrw30;

ods path stdlib.tl06324 (read) ;
ods results off;
ods rtf toc_data
file="/cvn/projects/prj/data/000000106324/TFL/&TFL_Part./&tflno..rtf"
style=tl06324 startpage=yes headery=1440 footery=1440 ;
ods noproctitle;

/*%let count=0;*/

```

```

/*%do i=1 %to &page;*/

/*%do j=1 %to 2    split output as unable to fit all 3 on one page*/

/*%let mxpage=%eval(&page*2);*/
/**/
/*%let count=%eval(&count+1);*/
/**/
/*title ;*/
/*footnote;*/
/*%let wd=0;*/

%do i=1 %to &page; /* 7) JR 09Jun2014 */

title ;
footnote;
%let wd=0;
%let subpage=2;

%do j=1 %to &subpage;

%let maxpage=%eval(&page*&subpage);

%let npage=%eval(&subpage*&i+&j-&subpage); /* split output as unable to
fit all 3 on one page*/

data comp;
    set paging end=eof;
    where page=&i;

    /* Amend title as needed */
/*    _firtitl="Table 15.2.4.3 Descriptive Statistics of Urinary Quantity
Excreted of 3-HPMA over 24 hours (units) - FAS";    */
    _FIRTITL="Table 15.2.4.3 Descriptive Statistics of Urinary Quantity
Excreted of MHBMA over 24 hours (&avalu) - FAS";/* 3) AOB 21May2014 */
/* 9) JR 11Jun2014 */
    _upcas=(length("Path: &TFLpath.")-
length(compress("Path:&TFLpath.",'ABCDEFGHIJKLMNOPQRSTUVWXYZ')))/2;
    len=&blankn.-length("(page &npage of &maxpage)");
    if eof then do;
        call symput('_FSRTITL', trim(left(_firtitl)));
        call symput('_blankn', compress(put(len,best.)));
    end;

    drop _firtitl _upcas len;
run;

ods proclabel = ' ';
ods listing close;

* most set up in template others below;
* title arial 12pt bold with 12pt paragraph space below;

```

```

* all headers to be arial 11pt bold;
* data arial 10pt;
* headers to be central, text values left aligned and numeric centered
around decimal point;
proc report data = comp missing headline headskip missing nowd split =
'$' %if &i=1 and &j=1 %then %do; contents=' ' %end; %else %do;
contents='' %end;;;
    column flag page avisitn atptn variable statord stat
/* START 2) AOB 21May2014 */
/* %if &j=1 %then %do; ("THS 2.2&linebot." r1 c1) ("CC&linebot." r2
c2); %end;*/
/* %if &j=2 %then %do; ("SA&linebot." r3 c3); %end;*/
    %IF &J=1 %THEN %DO; ("THS 2.2$(N=&TRT1)&LINEBOT." R1 C1)
("CC$(N=&TRT2)&LINEBOT." R2 C2); %END;
    %ELSE %IF &J=2 %THEN %DO; ("SA$(N=&TRT3)&LINEBOT." R3 C3); %END;
/* END 2) AOB 21May2014 */

    define flag          / order order = internal noprint;
    define page          / order order = internal noprint;
    define avisitn       / order order=internal noprint;
    define atptn         / order order=internal noprint;
    define statord       / order order = internal noprint;

    %if &j=1 %then %do;
        define variable   / group style={just=left
cellwidth=/*1.25*//*2*/1.4cm} style(header)={just=center} "Timepoint"; /*
8) JMH 10Jun2014 */ /* 14) JMH 01Aug2014 */
        define stat       / display style={just=left cellwidth=2cm}
style(header)={just=center} "Statistic";
        define r1         / display style={just=CENTER/*d*/
cellwidth=/*1.2*/1.5cm} style(header)={just=center}; /* 13) JMH 24Jun2014
*/ /* 14) JMH 01Aug2014 */
        define c1         / display style={just=CENTER/*d*/ cellwidth=1.5cm}
style(header)={just=center};
        define r2         / display style={just=CENTER/*d*/
cellwidth=/*1.2*/1.5cm} style(header)={just=center}; /* 14) JMH 01Aug2014
*/
        define c2         / display style={just=CENTER/*d*/ cellwidth=1.5cm}
style(header)={just=center};
        %end;
    %if &j=2 %then %do;
        define variable   / group style={just=left cellwidth=3cm}
style(header)={just=center} "Timepoint";
        define stat       / display style={just=left cellwidth=3cm}
style(header)={just=center} "Statistic";
        define r3         / display style={just=CENTER/*d*/ cellwidth=3cm}
style(header)={just=center};
        define c3         / display style={just=CENTER/*d*/ cellwidth=3cm}
style(header)={just=center}; /* 13) JMH 24Jun2014 */
        %end;

    break before flag / page %if &i=1 %then %do;
    contents("&_fsrtitl" %end; %else %do; contents='' %end;;

```

```

break after page / page;

compute after variable;
    line " ";
endcomp;

compute before page / style={protectspecialchars=off};
    line "&linetop";
endcomp;

/*      compute after page/style={just=left cellwidth=5cm
protectspecialchars=off};*/ /* 14) JMH 01Aug2014 */
/*      line "&linebot" ;*/
/*      endcomp;*/

    compute before _page_ / style={just=left protectspecialchars=off};
        line "\b\fs24\sa24&_FSRTITL." ; * \b = bold, \fs24 is font
size 12pt, \sa24 is space after 12pt;
        line "&linebot";
    endcomp;

    compute after _page_/ style={just=left protectspecialchars=off
PRETEXT="&LINETOP."}; /* 14) JMH 01Aug2014 */
        line 'Note: CC = Conventional cigarettes; SA = Smoking
abstinence; THS = Tobacco Heating System.';
        /*LINE "Note: Geo 95% CI represents the 95% CI of the geometric
mean.";*/ /* 11) JMH 19Jun2014 */
        LINE 'Note: Geometric: mean, CV% and 95% confidence interval
(CI) are reported.'; /* 13) JMH 24Jun2014 */
/*      line "Note: * % change from baseline, where baseline is
defined as the last assessment prior to 06:29 AM on Day 1."; */
        LINE "Note: * % change from baseline, where baseline is the
last assessment prior to first product use in CC/THS 2.2 arms on Day 1 or
last assessment prior to 06:29 AM in SA arm on Day 1."; /* 16) KB
19Sep2014 */
        LINE "Note: Collection over 24 hours starting on the Day
stated in the table."; /* 4) AOB 21May2014 */
        %if &nsum. ge 1 %then %do;
            /*line 'Note: LOQ = 0.100 ng/mL';*/ /*Update this value if
required*/
            /*LINE 'Note: BLOQ = 0.100 ng/mL';*/ /* 12) JMH 19Jun2014 */
            LINE "Note: BLOQ = number of observations imputed using half
limit of quantification (0.100 ng/mL)."; /* 14) JMH 01Aug2014 */
        %end;
        line ' ';
        line 'Appendix 15.3.3.1';
        /*      line "Path: &TFLpath." &_blankn."~\~" "(Page &i
of &page)";*/ /* 7) JR 09Jun2014 */
        line "Path: &TFLpath." &_blankn."~\~" "(Page &npage of
&maxpage)";
        line "Program Run: &sysdate &sysuserid Program Status:
&status";
    endcomp;
run;

```

```

%end;
%end;
ods rtf close;
ods results on;
ods path sashelp.tmplmst (read);

%mend ;

%outrtf(blankn=70, halfblnk=N);
ods listing;
proc printto print = "&table./T_15_02_04_03.lst" new;
run;

proc contents data = table.T_15_02_04_03 varnum;
run;
ods listing close;
proc printto ; run;
*=====;
* END OF PROGRAM CODE ;
*=====;

```