

```

*****
* Project      : ZRHM-REXA-07-JP
*
* Program name  : T15020442.sas
*
* Author       : L. Yan
*
* Date created  : 05/20/2015
*
* Purpose      : Table T1502044201
*
* Revision History :
*
* Date      Author   Ref   Revision (Date in YYYYMMDD format)
* 14Dec2015  N Lama      Change from difference to geomean the original Wu code
                        modified by Morgane so that it runs in PMI environment
*****

/* OUTPUT IN

\\Pmichlausas03\pass\ZRH\Unblinded Data - Team 2\ZRHM-REXA-07-JP\OUTPUT\Final

*/

%let root=F:\PASS\ZRH\Unblinded Data - Team 2;

%let study=ZRHM-REXA-07-JP;

```

```

%let MPATH=ZRHM-REXA-07-JP\transfer-Wu\20150806 Wu\05Aug2015\macros;

%let SDTMP=&root.\&study.\data\sdtm;

%let ADAMP=&root.\&study.\data\adam;

%let opath=&root.\&study.\output\final;

%let odata=&root.\&study.\output\data;

%let csvdata=&root.\&study.\output\excel;


libname sdtm "&root.\&study\data\sdtm";

libname adam "&root.\&study\data\adam";

libname odata "&root.\&study\output\data";


*** pre-setting ***;

options missing=' ' nocenter ls=132 ps=45

formchar='|_---|+|---+=|-/<>*' charcode nodate nonumber;

run;


options nofmterr;

options papersize=letter orientation=landscape nodate nonumber center missing=" " nobyline;


%global fdate;


options nofmterr;


data _null_;

    call symput("fdate",left(put("&sysdate"d, date9.)));

```

```
run;
```

```
options sasautos=("F:\PASS\ZRH\Unblinded Data - Team 2\ZRHM-REXA-07-JP\transfer-Wu\20150806  
Wu\05Aug2015\macros" sasautos) notes;*/
```

```
*%init(delivery=1);
```

```
*%init(delivery=9);
```

```
%let prgname=T15020442_ZRHM_REXA_07_JP_V1;
```

```
%include "F:\PASS\ZRH\Unblinded Data - Team 2\POOLING\titlecsv.sas";
```

```
%titlecsv(prgname=&prgname., version=1.1);
```

```
%put &title1;
```

```
%put &title2;
```

```
%put &APPENDIX;
```

```
%put &endpoint;
```

```
%put &outname.;
```

```
options missing="";
```

```
%let title1=Table 15.2.4.42.1; /* Hardcoding NL 14DEC2015 */
```

```
%macro cal_summary_pvalue(where=, outnum=, var=, in=, pflg=, decimal=1);
```

```
proc sort data=&in. out=anadt_&outnum.;
```

```
by usubjid;
```

```
where &where. ;
```

```
run;
```

```
proc sort data=anadt_&outnum.;
```

```
by trtcd;
```

```
run;
```

```
proc means data = anadt_&outnum. noprint;
```

```
by trtcd;
```

```
var &var.;
```

```
output out=xlab_&outnum. n=n mean=mean median=med std=sd min=min max=max q1=q1 q3=q3  
lclm=lclm uclm=uclm;
```

```
run;
```

```
data xlab_&outnum.;
```

```
set xlab_&outnum.;
```

```
n1 = trim(left(compress(put(n, 8))));
```

```

%if &decimal=1 %then %do;

if sd > . then mean1 = (trim(left(compress(put(mean, 8.%eval(&decimal+1)))))) || '
(' || trim(left(compress(put(ceil(sd*1000)/1000, 8.%eval(&decimal+2)))))) || ')';

else mean1 = (trim(left(compress(put(mean, 8.%eval(&decimal+1)))))) || ' (NA)';

ci1=trim(left(compress(put(floor(lclm*100)/100, 8.%eval(&decimal+1)))) || ',
' || trim(left(compress(put(ceil(uclm*100)/100, 8.%eval(&decimal+1))))));

%end;

%if &decimal=0 %then %do;

if sd > . then mean1 = (trim(left(compress(put(mean, 8.%eval(&decimal+1)))))) || '
(' || trim(left(compress(put(ceil(sd*100)/100, 8.%eval(&decimal+2)))))) || ')';

else mean1 = (trim(left(compress(put(mean, 8.%eval(&decimal+1)))))) || ' (NA)';

ci1=trim(left(compress(put(floor(lclm*10)/10, 8.%eval(&decimal+1)))) || ',
' || trim(left(compress(put(ceil(uclm*10)/10, 8.%eval(&decimal+1))))));

%end;

median1 = trim(left(compress(put(med, 8.%eval(&decimal+1)))));

q1q3 = trim(left(compress(put(q1, 8.%eval(&decimal+1)))) || ', ' || trim(left(compress(put(q3,
8.%eval(&decimal+1)))));

min1 = trim(left(compress(put(min, 8.%eval(&decimal+0)))) || ', ' || trim(left(compress(put(max,
8.%eval(&decimal+0)))));

run;

proc means data = anadt_&outnum. noprint;

by trtcd;

var logaval;

output out=xlab1_&outnum. n=n mean=mean lclm=lclm uclm=uclm std=std;

```

```
run;
```

```
data xlab1_&outnum. ;
```

```
set xlab1_&outnum. ;
```

```
Estimate1 = exp(mean); /* Ratio of geometric mean */
```

```
LowerCL = exp(lclm); /* 95% CI lower bound */
```

```
UpperCL = exp(uclm); /* 95% CI upper bound */
```

```
CVperc=100*sqrt(exp(std**2)-1);
```

```
run;
```

```
data xlab1_&outnum.;
```

```
length geomean geoci $100;
```

```
set xlab1_&outnum.;
```

```
geomean=strip(put(Estimate1, 8.2))||" ("||strip(put(ceil(CVperc*100)/100, 8.2)) ||")";
```

```
geoci=strip(put(floor(LowerCL*100)/100, 8.2))||", "||strip(put(ceil(UpperCL*100)/100, 8.2));
```

```
keep trtcd geomean geoci;
```

```
run;
```

```
proc sort data=xlab1_&outnum.;
```

```
by trtcd;
```

```
run;
```

```
proc sort data=xlab_&outnum.;
```

```
by trtcd;
```

```
run;
```

```

data xlab_&outnum.;

merge xlab_&outnum.(in=a) xlab1_&outnum.;

by trtcd;

run;


proc transpose data = xlab_&outnum. out=xlab_1_&outnum. prefix=_;

  id trtcd;

  var n1 geomean geoci MEDIAN1 Q1Q3 MIN1 /*MEAN1 ci1*/; /**** NL 15Dec2015*****/

run;


data temp;

length _name_ _1 _2 _3 ord1 $100;

ord1="&outnum";

ordnum=input(ord1, best.);

_name_="";

_1="";

_2="";

_3="";

output;

run;


data rep_&outnum.;

length _name_ _1 _2 _3 ord1 $100;

set temp xlab_1_&outnum.;

```

```

ord1="&outnum";

ordnum=input(ord1, best.);

if upcase(_name_)="N1" then do; _name_="n"; sord=0; end;

if upcase(_name_)="GEOMEAN" then do; _name_="Geometric Mean (CV%)"; sord=1; end; /* NL
14Dec2015 */

if upcase(_name_)="GEOCI" then do; _name_="95% CI of Geometric Mean"; sord=2; end;


if upcase(_name_)="MEAN1" then do; _name_="Mean (SD)"; sord=2.1; end;

if upcase(_name_)="CI1" then do; _name_="95% CI"; sord=2.2; end;

if upcase(_name_)="MEDIAN1" then do; _name_="Median"; sord=5; end;

if upcase(_name_)="Q1Q3" then do; _name_="Q25, Q75"; sord=6; end;

if upcase(_name_)="MIN1" then do; _name_="Min, Max"; sord=7; end;

run;


data rep;

set rep rep_&outnum.;

run;


%mend;


%macro cal_summary_pvalue1(where=, outnum=, var=, in=, pflg=, decimal=1);


proc sort data=&in. out=anadt_&outnum.;

by usbjid;

where &where. ;

```



```
run;
```

```
proc sort data=anadt_&outnum.;
```

```
by trtcd;
```

```
run;
```

```
proc means data = anadt_&outnum. noprint;
```

```
by trtcd;
```

```
var &var.;
```

```
output out=xlab_&outnum. n=n mean=mean median=med std=sd min=min max=max q1=q1 q3=q3  
lclm=lclm uclm=uclm;
```

```
run;
```

```
data xlab_&outnum.;
```

```
set xlab_&outnum.;
```

```
n1 = trim(left(compress(put(n, 8.))));
```

```
%if &decimal=1 %then %do;
```

```
if sd > . then mean1 = (trim(left(compress(put(mean, 8.%eval(&decimal+1)))))) || '  
( ' || trim(left(compress(put(ceil(sd*1000)/1000, 8.%eval(&decimal+2)))))) || ' )';
```

```
else mean1 = (trim(left(compress(put(mean, 8.%eval(&decimal+1)))))) || ' (NA)';
```

```
ci1=trim(left(compress(put(floor(lclm*100)/100, 8.%eval(&decimal+1)))) || '  
' || trim(left(compress(put(ceil(uclm*100)/100, 8.%eval(&decimal+1))))));
```

```
%end;
```

```
%if &decimal=0 %then %do;
```

```

if sd > . then mean1 = (trim(left(compress(put(mean, 8.%eval(&decimal+1)))))) || '
(' || trim(left(compress(put(ceil(sd*100)/100, 8.%eval(&decimal+2)))))) || ')';

else mean1 = (trim(left(compress(put(mean, 8.%eval(&decimal+1)))))) || ' (NA)';

ci1=trim(left(compress(put(floor(lclm*10)/10, 8.%eval(&decimal+1)))) || ',
' || trim(left(compress(put(ceil(uclm*10)/10, 8.%eval(&decimal+1))))));

%end;

median1 = trim(left(compress(put(med, 8.%eval(&decimal+1)))));

q1q3 = trim(left(compress(put(q1, 8.%eval(&decimal+1)))) || ', ' || trim(left(compress(put(q3,
8.%eval(&decimal+1))))));

min1 = trim(left(compress(put(min, 8.%eval(&decimal+0)))) || ', ' || trim(left(compress(put(max,
8.%eval(&decimal+0))))));

run;

proc transpose data = xlab_&outnum. out=xlab_1_&outnum. prefix=_; /*** Added prefix_ NL
15Dec2015 ***/

id trtcd;

var n1 MEDIAN1 Q1Q3 MIN1 MEAN1 ci1;

run;

data temp;

length _name_ _1 _2 _3 ord1 $100;

ord1="&outnum";

ordnum=input(ord1, best.);

_name_="";

_1="";

_2="";

_3="";

```

```

output;

run;

data rep_&outnum.;

length _name_ _1_2_ ord1 $100;

set temp xlab_1_&outnum.;

ord1="&outnum";

ordnum=input(ord1, best.);

if upcase(_name_)="N1" then do; _name_="n"; sord=0; end;

if upcase(_name_)="GEOMEAN" then do; _name_="Geometric Mean (CV%)"; sord=1; end;

if upcase(_name_)="GEOCI" then do; _name_="95% CI"; sord=2; end;

if upcase(_name_)="MEAN1" then do; _name_="Mean (SD)"; sord=2.1; end;

if upcase(_name_)="CI1" then do; _name_="95% CI"; sord=2.2; end;

if upcase(_name_)="MEDIAN1" then do; _name_="Median"; sord=5; end;

if upcase(_name_)="Q1Q3" then do; _name_="Q25, Q75"; sord=6; end;

if upcase(_name_)="MIN1" then do; _name_="Min, Max"; sord=7; end;

run;

data rep;

set rep rep_&outnum.;

run;

%mend;

```

```
%macro mainloop(flag=, outn=, where=);
```

```
proc sort data=adam.adsl out=trt;
```

```
by usubjid;
```

```
where &flag="Y";
```

```
run;
```

```
data trt;
```

```
set trt;
```

```
if TRT01A="THSm2.2" then trtcd=1;
```

```
else if TRT01A="mCC" then trtcd=2;
```

```
else if TRT01A="SA" then trtcd=3;
```

```
run;
```

```
data anald;
```

```
set adam.ADXT;
```

```
if trta in ("mCC" "THSm2.2" "SA") and aval>. and paramcd in ("AAVGDI", "AAVGII", "AAVGPCI",  
"AAVGPMI", "AAVGQCI", "AAVGQMI", "AAVGVI", "AAVGWI", "ANPC",
```

```
"APFEQ", "APTI", "ASMINT", "ATDFI", "ATDI", "ATII", "ATVOL", "ATWI") and avisitn>=100 and  
anl02fl="Y" and &flag="Y" and &where.;
```

```
run;
```

```
data anald;
```

```
set anald;
```

```
if aval>0 then logaval=log(aval);
```

```
run;
```

```
proc sort data=anald out=check(keep=paramn avisitn avisit) nodupkey;  
by paramn avisitn avisit;  
run;
```

```
data trt_1;  
set trt;  
run;
```

```
data anald;  
set anald;  
if TRTA="THSm2.2" then trtcd=1;  
else if TRTA="mCC" then trtcd=2;  
else if TRTA="SA" then trtcd=3;  
run;
```

```
data check;  
set check;  
ord=_n_;  
run;
```

```
/*cal_summary_pvalue(where=1, outnum=1, var=aval, in=anald, pflg=1);
```

```
data rep;  
run;
```

```
proc sort data=trt_1 nodupkey;

by trtcd usubjid;

run;
```

```
proc freq data = trt_1 noprint;

  tables trtcd/ out= denom;

run;
```

```
%global trt1_&outn. trt2_&outn. trt3_&outn.;

data _null_;

  set denom end=eof;


  retain total 0;


  total = total+count;


  if trtcd= 1 then do;

    call symput("trt1_&outn.", trim(left(put(count,8)))));

  end;

  if trtcd= 2 then do;

    call symput("trt2_&outn.", trim(left(put(count,8)))));

  end;

  if trtcd= 3 then do;

    call symput("trt3_&outn.", trim(left(put(count,8)))));
```

```
end;
```

```
run;
```

```
data _null_;
```

```
set check;
```

```
call execute ('%cal_summary_pvalue(where=%str(avisitn='||avisitn||' and paramn='||paramn||'),  
outnum='||ord||', var=aval, in=anald);');
```

```
run;
```

```
data rep1;
```

```
set rep;
```

```
run;
```

```
data rep;
```

```
run;
```

```
data _null_;
```

```
set check;
```

```
if avisitn>100;
```

```
call execute ('%cal_summary_pvalue1(where=%str(avisitn='||avisitn||' and paramn='||paramn||'),  
outnum='||ord||', var=PCHG, in=anald, decimal=1);');
```

```
run;
```

```
data rep2;
```

```
set rep;  
  
rename _1=_4 _2=_5 _3=_6;  
  
run;
```

```
proc sort data=rep1;  
  
by ordnum sord;  
  
run;
```

```
proc sort data=rep2;  
  
by ordnum sord;  
  
run;
```

```
data frep;  
  
merge rep1 rep2;  
  
by ordnum sord;  
  
run;
```

```
data frep;  
  
set frep;  
  
ord=ORDNUM;  
  
run;
```

```
data frep;  
  
set frep;
```



```
%do i = 1 %to 100;  
if (&i-1)*1<ordnum<=&i*1 then pagen=&i;  
%end;
```

```
run;
```

```
data frep;
```

```
set frep;
```

```
space="";
```

```
run;
```

```
data frep&outn.;
```

```
merge frep(in=a) check;
```

```
by ord;
```

```
if a;
```

```
if avisitn>.;
```

```
run;
```

```
data smalln&outn.;
```

```
set frep&outn.;
```

```
if _name_="n";
```

```
run;
```

```
data smalln&outn.;
```

```
set smalln&outn.;
```

```

_name_="Missing, n(%");

sord=0.1;

if _1 ne "" then _1=strip(put((&trt1_&outn.-input(_1, best.)), 8.0))||" ("||strip(put((&trt1_&outn.-
input(_1, best.))*100/&trt1_&outn., 8.1))||")";

if _2 ne "" then _2=strip(put((&trt2_&outn.-input(_2, best.)), 8.0))||" ("||strip(put((&trt2_&outn.-
input(_2, best.))*100/&trt2_&outn., 8.1))||")";

if _3 ne "" then _3=strip(put((&trt3_&outn.-input(_3, best.)), 8.0))||" ("||strip(put((&trt3_&outn.-
input(_3, best.))*100/&trt3_&outn., 8.1))||")";


if _4 ne "" then _4=strip(put((&trt1_&outn.-input(_4, best.)), 8.0))||" ("||strip(put((&trt1_&outn.-
input(_4, best.))*100/&trt1_&outn., 8.1))||")";

if _5 ne "" then _5=strip(put((&trt2_&outn.-input(_5, best.)), 8.0))||" ("||strip(put((&trt2_&outn.-
input(_5, best.))*100/&trt2_&outn., 8.1))||")";

if _6 ne "" then _6=strip(put((&trt3_&outn.-input(_6, best.)), 8.0))||" ("||strip(put((&trt3_&outn.-
input(_6, best.))*100/&trt3_&outn., 8.1))||")";


run;


data frep&outn.;

set frep&outn. smalln&outn.;

run;


data frep&outn.;

set frep&outn.;

if _1 in ("0 (0.0)" " ") and _2 in ("0 (0.0)" " ") and _4 in ("0 (0.0)" " ") and _5 in ("0 (0.0)" " ") and _3 in
("0 (0.0)" " ") and _6 in ("0 (0.0)" " ") then delete;

run;

```

```

data frep&outn.;

set frep&outn.;

if _1="0 (0.0)" then _1="0";

if _2="0 (0.0)" then _2="0";

if _4="0 (0.0)" then _4="0";

if _5="0 (0.0)" then _5="0";


if _3="0 (0.0)" then _3="0";

if _6="0 (0.0)" then _6="0";


avisit=propcase(avisit);


if AVISIT="Day 0" then avisit="Baseline";


run;


proc sort data=frep&outn.;
by pagen paramn avisitn avisit sord;

run;


%mend;


%mainloop(flag=PPROT1FL, outn=1, where=%str(100<=avisitn<=106 and anl02fl="Y"));

%mainloop(flag=PPROT2FL, outn=2, where=%str(avisitn in (100, 130) and anl02fl="Y"));

%mainloop(flag=PPROT3FL, outn=3, where=%str(avisitn in (100, 160) and anl02fl="Y"));

```

```
%mainloop(flg=PPROT4FL, outn=4, where=%str(avisitn in (100, 190, 191) and anl02fl="Y"));
```

```
proc sort data=anald out=fmt(keep=paramn param) nodupkey;
```

```
by paramn param;
```

```
run;
```

```
data fmt;
```

```
set fmt;
```

```
fmtname="grp";
```

```
start=paramn;
```

```
label="Parameter: " || strip(param);
```

```
run;
```

```
proc format cntlin=fmt;
```

```
run;
```

```
data odata.&prgname.;
```

```
set frep1 (in=a) frep2 (in=b) frep3 (in=c) frep4 (in=d);
```

```
if a then group="PPROT1FL";
```

```
if b then group="PPROT2FL";
```

```
if c then group="PPROT3FL";
```

```
if d then group="PPROT4FL";
```

```
run;
```

```
%global totalpage1;
```

```
data _null_;
```

```
set frep1 end=eof;
```

```
if eof then do;
```

```
    call symput('totalpage1', trim(left(put(pagen,8))));
```

```
end;
```

```
run;
```

```
%put totalpage1=&totalpage1;
```

```
data frep2;
```

```
set frep2;
```

```
pagen=pagen+&totalpage1.;
```

```
run;
```

```
%global totalpage2;
```

```
data _null_;
```

```
set frep2 end=eof;
```

```
if eof then do;  
    call symput('totalpage2', trim(left(put(pagen,8))));  
end;
```

```
run;
```

```
%put totalpage2=&totalpage2;
```

```
data frep3;  
set frep3;  
pagen=pagen+&totalpage2.;  
run;
```

```
%global totalpage3;
```

```
data _null_;  
set frep3 end=eof;
```

```
if eof then do;  
    call symput('totalpage3', trim(left(put(pagen,8))));  
end;
```

```
run;
```

```
%put totalpage3=&totalpage3;
```

```
data frep4;
```

```
set frep4;
```

```
pagen=pagen+&totalpage3.;
```

```
run;
```

```
%global totalpage4;
```

```
data _null_;
```

```
set frep4 end=eof;
```

```
if eof then do;
```

```
call symput('totalpage4', trim(left(put(pagen,8.))));
```

```
end;
```

```
run;
```

```
%put totalpage4=&totalpage4;
```

```
data allrep;  
set frep1 (in=a) frep2 (in=b) frep3 (in=c) frep4 (in=d);  
if a then group=1;  
if b then group=2;  
if c then group=3;  
if d then group=4;  
drop pagen;  
run;
```

```
proc sort data=allrep;  
by paramn group avisitn;  
run;
```

```
proc sort data=allrep out=page(keep=paramn group avisitn) nodupkey;  
by paramn group avisitn;  
run;
```

```
data page;  
set page;  
pagen=_n_;  
run;
```

```
data allrep;  
merge allrep page;  
by paramn group avisitn;
```



```
run;
```

```
data odata.T15020442_primary; /* MD 14Dec2015 */
```

```
    set allrep;
```

```
run;
```

```
%let fprgname=t1502044201_ZRHM-REXA-07_JP_v1_PMI; /* NL 14Dec2015 */
```

```
%let repversion=Final v1.0; /* - Draft v0.1 - NL 17 Dec2015 */
```

```
%let outname=t1502044201_ZRHM-REXA-07_JP-hst-v1.0; /* NL 14Dec2015 */
```

```
%trtrtfg(pgmname=&outname., pgmid=1, new=0, style=, bookmark=%lowercase(&outname.));
```

```
%macro reppart (where=, group=, pagen=);
```

```
proc report data=allrep headskip headline spacing=4 nowd split='~' style=[outputwidth=100%]  
style(header column)=[protectspecialchars=off];
```

```
    where &where.;
```

```
column pagen paramn avisitn avisit sord _name_ ("\\brdrb\\brdrs THSm2.2 (N=&trt1_1.)" _1 _4) space  
("\\brdrb\\brdrs mCC (N=&trt2_1.)" _2 _5) space ("\\brdrb\\brdrs SA (N=&trt3_1.)" _3 _6);
```

```
define pagen /order order=internal noprint;
```

```
define paramn /order order=internal noprint;
```

```
define avisitn /order order=internal noprint;
```

```
define avisit /order "Time Point" flow style(column)=[cellwidth=5% just=l];
```

```
define sord /order order=internal noprint;
```

```

define _name_      /display "Statistic" flow style(column)=[cellwidth=9% just=l];
define _1          /display "Raw value" flow style(column)=[cellwidth=10% just=c];
define _4          /display "% Change(*)" flow style(column)=[cellwidth=10% just=c];
define space       /display " " flow style(column)=[cellwidth=0.2% just=c];

define _2          /display "Raw value" flow style(column)=[cellwidth=10% just=c];
define _5          /display "% Change(*)" flow style(column)=[cellwidth=10% just=c];

define space       /display " " flow style(column)=[cellwidth=0.2% just=c];

define _3          /display "Raw value" flow style(column)=[cellwidth=10% just=c];
define _6          /display "% Change(*)" flow style(column)=[cellwidth=10% just=c];

```

COMPUTE after avisitn ;

LINE @1 "";

ENDCOMP;

break after pagen/page;

compute before pagen;

line @1 "";

endcomp;

```
compute before _page_ /style=[fontweight=bold fontsize=3.75];
```

```
line @1 "&title1 &title2";
```

```
line @1 " ";
```

```
LINE @1 paramn grp.;
```

```
line @1 "Product Use Time Period: Period &group.";
```

```
line @1 " ^R/RTF'\brdrb\brdrs\brdrw30\brsp20\b ' ";
```

```
endcomp;
```

```
compute after _page_ /style=[fontsize=1.75];
```

```
line @1 "Note: mCC = Menthol conventional cigarettes; THSm2.2 = Tobacco Heating System 2.2  
Menthol.";
```

```
line @1 "Note: Percentages are based on the number of subjects indicated in the column header (N).";
```

```
line @1 "Note: * % change from baseline, where baseline is defined as the last assessment prior to first  
randomized product use in mCC / THS 2.2 Menthol";
```

```
line @1 "arms or the last assessment prior to 10 AM on Day 1 in the SA arm";
```

```
line @1 "Note: Periods defined as Period 1 ([Day 1 – Day 6 confinement]), Period 2 ([Day 6 ambulatory –  
Day 30 Visit]), Period 3 ([Day 30 Visit – Day 60 Visit]) and Period 4 ([Day 60 Visit – Day 90 Visit]).";
```

```
line @1 " ";
```

```
line @1 "&APPENDIX.";
```

```
line @1 "Study ID:ZRHM-REXA-07-JP      Program: &fprgname..sas      Status: &repversion./&fdate.  
Page: &pagen. of &totalpage4";
```

```
endcomp;
```

```
run;
```

```
%mend;
```

```
proc sort data=page;
```

```
by pagen;
```

```
run;
```

```
data _null_;
```

```
set page;
```

```
by pagen;
```

```
call execute ('%reppart(where=%str(pagen='||pagen||'), group='||group||', pagen='||pagen||');');
```

```
run;
```

```
ods listing;
```

```
ods rtf close;
```