



PMI RESEARCH & DEVELOPMENT

Study ZRHM-REXA-07-JP Clinical Study Report Appendix 16.1.11 All Publications Referenced in the Report

Study Title:	A randomized, controlled, open-label, 3-arm parallel group, multi-center study to demonstrate reductions in exposure to selected smoke constituents in healthy smokers switching to the Tobacco Heating System 2.2 Menthol (THS 2.2 Menthol) or observing smoking abstinence, compared to continuing to use menthol conventional cigarettes, for 5 days in confinement and prolonged by 85 days in an ambulatory setting
Study Number:	ZRHM-REXA-07-JP
Product Name:	Tobacco Heating System 2.2 Menthol (THS 2.2 Menthol)
Study Initiated (first subject screened):	01 August 2013
Study Completed (last subject last visit):	03 July 2014
Principal Investigator and Affiliation:	Mamoru Oki, MD, PhD, Seishukai Clinic 3-18-5, Matsugaya, Taitou-ku Tokyo 111-0036, Japan Professor Masahiro Endo, MD, Tokyo Heart Center Osaki Hospital, 5-4-12, Kita-Shinagawa, Shinagawa-ku, Tokyo 141-0001, Japan
Sponsor:	Philip Morris Products S.A. PMI Research & Development Quai Jeanrenaud 5 2000 Neuchâtel, Switzerland
Sponsor Signatories:	Christelle Haziza, PhD, Manager P1 Clinical Program, Clinical Scientist Nicola Lama, PhD, Biostatistician Andrea Donelli, Clinical Scientist Patrick Picavet, MD, Medical Safety Officer
Version:	1.0
Date:	46782020140703

This study was conducted in accordance with Good Clinical Practice.

Confidentiality Statement

This document is confidential. Disclosure of any of its contents to third parties is not permitted except by the prior written consent of Philip Morris Products S.A.



TABLE OF CONTENTS

16.1.11	All Publications Referenced in the Report.....	3
---------	--	---



16.1.11 All Publications Referenced in the Report

Please refer to Section 14 of the CSR for all publications referenced in the report. Copies of these publications are available upon request.