

```

/*=====
| Covance Study Number   : 000000106343
| Program Name           : f_15_01_02_20_02.sas
| Purpose                : Figure 15.1.2.28.1
| Input Data             : ADAM.ADBX
| Output Data            : F_15_01_02_20_02
| Macros Called          :
| Originally Performed by :Jyothsna Reddy
| Date                   : 20JUL2015
|
|=====
| Modification History
|-----
| Modified by            :
| Modification Date      :
| Modification Description :
|=====
+=====*/

```

```

options notes source source2 nofullstimer validvarname=upcase missing=' ';
ods _all_ close;

```

```

ods listing;
*=====;
* START OF PROGRAM CODE
*=====;
%m_printto;

```

```

%let tflno=F_15_01_02_20_02;
/* Standard - leave this */
%let TFL_Part=%scan(&_SASPROGRAMFILE,-3,%str());

```

```

data _null_;
  tmp="&TFL_Part";
  if tmp not in ("dev" "qc") then call symput("TFL_Part", "prod");
  call symput('TFLpath', compress("&_SASPROGRAMFILE",""));
run;

```

```

%put &tflpath;
ods _all_ close;

```

```

options notes source source2 nofullstimer validvarname=upcase
nonumber nodate orientation=portrait missing=' ';
ods graphics on;
ods graphics / height=12cm width=16cm noborder;
ods path reset;
/* please include styles template */
%include "/cvn/projects/prj/development/000000106343/dev/figures/figtplt.sas";

```

```

ods rtf toc_data file="/cvn/projects/prj/data/000000106343/TFL/dev/Tables/&tflno..rtf" style=t106343_g startpage=yes headery=1440 footer=1440 ;
ods exclude all;

```

```

/****Day 90 data: 4H urine sample****/
data data1;
  set adam.adbx;
  where FASFL="Y" and avisitn in (190) and LBSPEC in ("URINE") and parcat2 in ("4H URINE SAMPLE" )
    and index(paramcd,"U2NACRE4")>0 and ANL02FL="Y";
  keep usubjid avisitn parcat2 paramcd aval trta base avisit trtp trtpn ;

```

```

/* keep usubjid avisitn parcat2 paramcd aval trta base avisit;*/
  rename aval=aval4 base=base4;
run;
proc sort; by usubjid avisitn ;run;

```

```

/****Day 90 data: 24H urine sample****/
data data2;
  set adam.adbx;
  where FASFL="Y" and avisitn in (190) and LBSPEC in ("URINE") and parcat2 in ("24H URINE SAMPLE")
    and index(paramcd,"U2NACRE")>0 and ANL02FL="Y";
  keep usubjid avisitn parcat2 paramcd aval trta base avisit param;

```

```

/* keep usubjid avisitn parcat2 paramcd aval trta base avisit;*/
  rename aval=aval24 base=base24;
run;

proc sort; by usubjid avisitn ;run;

```

```

/**mergring 4H and 24H data*/
data data3;
  merge data1(in=a drop=paramcd parcat2 trta) data2(in=b drop=paramcd parcat2);
  by usubjid avisitn avisit;
  if a or b;

run;

data data4;
  set data3(in=a keep=usubjid avisitn aval24 aval4 trta avisit param trtp trtpn)
    data3(in=b keep=usubjid avisitn base24 base4 trta avisit param trtp trtpn rename=(base4=aval4 base24=aval24));
  if b then visnum=0;
  if a then visnum=90;
  if visnum=0 then avisit="Baseline";
  avisitn = visnum;
run;
proc sort; by usubjid visnum;run;

proc sort data=data4; by avisit;run;

data data5;
  set data4(in=a keep=usubjid aval24 aval4 avisit avisitn trtp trtpn param);
  if not missing(aval24) then do;
    diff=aval24-aval4;
    avg=(aval24+aval4)/2;
  end;
  _type_ = 0;

run;
proc sort; by usubjid ;run;

ods listing;
proc means data=data5;
  var diff;
  output out=aa mean=dmean lclm=dlcl uclm=ducl ;
run;

data data6(drop = _type_ _freq_);
  merge data5 aa;
  by _type_;
run;

PROC EXPORT
DATA=data6
DBMS=XLSX

OUTFILE="/cvn/projects/prj/data/000000106343/TFL/dev/Tables/&tflno..xlsx"
REPLACE;
SHEET=Sheet1;

data tflds.&tflno.;
  set data6;
run;

proc transpose data=aa out=trans;
by _type_;
run;

/*data _null_*/
/* set trans;*/
/* if _name_ ne "_FREQ_" then call symput(_name_,strip(put(col1,8.2)));*/
/*run;*/
/*%put &dmean &dlcl &ducl;*/

data trans1;
  set trans;
  down = floor(col1*100)/100;
  up = ceil(col1*100)/100;

run;

```

```

data _null_;
set trans1;
if _name_ ne "_FREQ_" then call symput(_name_,strip(put(col1,8.2)));
if _name_ ne "_FREQ_" and upcase(_name_) in ("DLCL") then call symput(_name_,strip(put(down,8.2)));
if _name_ ne "_FREQ_" and upcase(_name_) in ("DUCL") then call symput(_name_,strip(put(up,8.2)));

run;

%put &dmean &dlcl &ducl;

proc sql;
create table minmax as
select max(avg) as xmax, min(avg) as xmin, max(diff) as ymax, min(diff) as ymin
from data5
;
quit;

data _null_;
set minmax;
call symput("xmin", strip(put(floor(xmin),best.)));
call symput("xmax", strip(put(ceil(xmax),best.)));
call symput("ymin", strip(put(floor(ymin),best.)));
call symput("ymax", strip(put(ceil(ymax),best.)));
run;
%put &xmin &xmax &ymin &ymax;

/** create template**/
proc template;
define statgraph splot ;
begingraph;

layout overlay / border=false
axisopts=(linearopts=(tickvaluesequence=(start=0 end=100 increment=10) viewmin=0 viewmax=100 TICKVALUEFITPOLICY=ROTATE
)
label="Average [(24 Hour + 4 Hour)/2]"
axisopts=(linearopts=(tickvaluesequence=(start=-50 end=50 increment=10) viewmin=-50 viewmax=50)
label="Difference (24 Hour - 4 Hour)"
cycleattrs=false;

drawtext textattrs=(style=italic size=9pt) "... Mean difference = &dmean"/
anchor=top width=35 widthunit=percent xspace=wallpercent yspace=wallpercent x=18 y=100 justify=center ;
drawtext textattrs=(style=italic size=9pt) "... 95% CI = (&dlcl, &ducl)"/
anchor=top width=35 widthunit=percent xspace=wallpercent yspace=wallpercent x=18 y=97 justify=center ;

scatterplot x=avg y=diff ;

referenceline y=&dlcl / lineattrs=(pattern=dot) ;
referenceline y=&dmean / lineattrs=(pattern=dash) ;
referenceline y=&ducl / lineattrs=(pattern=dot) ;

endlayout;
endgraph;
end;
run;

/** graph**/
ods select all;
ods rtf style=t106343_g;
ods ESCAPECHAR='^';
ods RTF PREPAGE="^S={outputwidth=100% just=1 font_size=12pt font_weight=bold background=white foreground=black font_face=arial}^R/RT
F\QL' Figure 15.1.2.20.2 Bland-Altman Plot for Concordance of Urinary 2-NA Concentration Adjusted for Creatinine from 24 Ho

proc sgrender data=data5 template=splot; /* applies the above template to the specified data */
run;
ods RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' ";
ods RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Note: Baseline
is the last assessment prior to first product use in mCC/THS 2.2 arms on Day 1 or last assessment prior to 10:00 AM in SA a
ods RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Note: Data fro
m all 3 randomized groups are presented.";
ods RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' ";
ods RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Appendix 15.3.
3.1, 15.3.3.5.";
ods RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Study ID: ZRHM
-REXA-08-US Program: f_ba_2na.sas &sysdate Status: &status. (Page 1 of 1)";

ods _all_ close;
ods graphics / reset;

```

%m_logchk;