

```

/*=====
| Covance Study Number      : 000000106343      |
| Program Name              : f_qsutotal_fas.sas  |
| Purpose                   : Figure 15.1.2.4.2    |
| Input Data                : tflds.t_15_02_04_52_02_f |
| Output Data              : F_15_01_02_04_02      |
| Macros Called             :                    |
| Originally Performed by   :Jyothsna Reddy        |
| Date                     : 28MAY2015            |
|=====
| Modification History
|-----
| Modified by              :                    |
| Modification Date       :                    |
| Modification Description :                    |
+=====*/

options replace;
proc datasets lib=work kill memtype=data nolist;
run;
%m_printto;
%let tfлно=F_15_01_02_04_02;

/* Standard - leave this */
%let TFL_Part=%scan(&_SASPROGRAMFILE,-3,%str());

/* Standard - leave this */

data _null_;
    tmp="&TFL_Part";
    if tmp not in ("dev" "qc") then call symput("TFL_Part", "prod");
    call symput('TFLpath', compress("&_SASPROGRAMFILE",""));
run;

options notes source source2 nofullstimer validvarname=upcase
nonumber nodate orientation=portrait missing=' ';
ods graphics on; /* As we are effectively using ODS graphics we need to ensure that it is turned on */
ods graphics / height=12cm width=16cm noborder; /* Removes border around the image */
ods path reset;
/* please include styles template */
%include "/cvn/projects/prj/development/000000106343/dev/figures/figtplt.sas";
ods rtf toc_data file="/cvn/projects/prj/data/000000106343/TFL/dev/Tables/&tfлно..rtf" style=t106343_g startpage=yes headery=1440 footery=1440 ;

ods exclude all;

data forest;
    length trtp $50;
    set tflds.t_15_02_04_52_02_f;
    if trtpN=5 then trtp="mCC";
    if trtpN=4 then trtp="THSm2.2";
    if trtpN=3 then trtp="SA";
    avalu="FASM";
    if not missing(trtp) and parcat2="Total Score";
run;

proc sort data=forest out=forest1;
    by parcat2n ;
run;

data dforest1(keep= param paramn avisit1 trtpn trtp avisitn avisit mean LCLM UCLM gmean tpt);
format gmean 6.2;
length tpt 3 avisit1 8;
    set forest1(rename=(parcat2=param));
    IF avisitn=100 THEN avisit1=0;
    IF avisitn=98 THEN avisit1=0;
    IF avisitn=10 THEN avisit1=0;
    IF avisitn=101 THEN avisit1=1;
    IF avisitn=102 THEN avisit1=2;
    IF avisitn=103 THEN avisit1=3;
    IF avisitn=104 THEN avisit1=4;
    IF avisitn=105 THEN avisit1=5;
    IF avisitn=130 THEN avisit1=6;
    IF avisitn=160 THEN avisit1=7;
    IF avisitn=190 THEN avisit1=8;
    lclmx = 0.1*floor(lclm/0.1);
    uclmx = 0.1*ceil(uclm/0.1);

```

```

tpt=avisit1;
paramn=1;
mean=round(mean,0.1);
gmean=mean;IF AVISITN=99 THEN DELETE;
run;

/*Use a proc summary to find the maximum value of the Y axis which needs to be presented for the first plot*/
proc summary data=dforest1;
  by param ;
  var UCLM;
  output out =axis1  max=max1 ;
run;

proc summary data=dforest1;
  by param ;
  var lclm;
  output out =axis2  min=min1;
run;

data maxaxis1;
  merge axis1 axis2(drop=_type_ _freq_);
  by param ;
  max2=(ceil(max1));
  min2=floor(min1);
  /*Use mod 2 to ensure axis limit is an even number so the increment can be 2*/
  if mod(max2,2)=0 then max2=max2;
  else if mod(max2,2)=1 then max2=max2+1;
  if mod(min2,2)=0 then min2=min2;
  else if mod(min2,2)=1 then min2=min2-1;
  min=put(min2,best.);
  max=put(max2,best.);
run;

data adbx3;
  merge dforest1 maxaxis1;
  by param ;
par=1;
run;

PROC SQL;
CREATE TABLE ADBX3_X AS
SELECT PARAM, trtp, AVISIT, mean, lclm, uclm
FROM ADBX3;
QUIT;
PROC EXPORT DATA=ADBX3_X DBMS=XLSX OUTFILE="/cvn/projects/prj/data/000000106343/TFL/dev/Tables/&tflno..xlsx" REPLACE;
SHEET=Sheet1;

title;
footnote;
proc sort data=adbx3;
by par;
data paging; /* paging is derived normally as with RTF type TFL */

  set adbx3 end=last;
  page = 1;
  if trtpn=3 then trtord=3;
  else if trtpn=4 then trtord=1;
  else if trtpn=5 then trtord=2;
  if tpt=1 then newvis=4.5;
  else if tpt=2 then newvis=9;
  else if tpt=3 then newvis=13.5;
  else if tpt=4 then newvis=18;
  else if tpt=5 then newvis=22.5;
  else if tpt=6 then newvis=45;
  else if tpt=7 then newvis=67.5;
  else if tpt=8 then newvis=90;
  else newvis=tpt;
run;

proc sort data=paging out=uniqpar nodupkey;by paramn;run;

%let maxpage=1;

PROC FORMAT;
VALUE XAXIS
  4.5='1'

```

```

9='2'
13.5='3'
18='4'
22.5='5'

45='30'
67.5='60'
90='90'

0='Baseline'
;

RUN;
/*Figure Output*/
/*_____*/
%macro graph();
%do i=1 %to 1; /* paging can either be done through a do loop or multiple macro calls */
  %do j=1 %to &maxpage %by 1;

data plot1;
  set paging;
  parm=strip(param);
  drop param;
  rename parm=param;
run;

proc sql noprint;
  select param into:param trimmed
  from plot1;
quit;

data plot;
  set plot1;
  call symput("max1",max);
run;
proc sort data=plot; by avisitn;run;

proc template;
  define statgraph splot ;
    begingraph ;
      layout overlay / border=false
        xaxisopts=(linearopts=(tickvaluelist=(0 4.5 9 13.5 18 22.5 45 67.5 90) TICKVALUEFITPOLICY=ROTATE)
          label="Study Day")
        yaxisopts=(linearopts=(tickvaluesequence=(start=0 end=7 increment=1) viewmin=0 viewmax=7)
          label="&param") cycleattrs=false;
      seriesplot x=newvis y=mean / index=trtpn primary=true group=trtp display=(markers) legendlabel="mean" name="series";
      scatterplot x=newvis y=gmean / index=trtpn group=trtp yerrorlower=lclm yerrorupper=uclm legendlabel="mean"
        name="scatter" ;
      discretelegend "series";
    endlayout;
  endgraph;
end;
run;

ods select all;

ODS ESCAPECHAR='^';
ODS RTF PREPAGE="^S={outputwidth=100% just=1 font_size=12pt font_weight=bold background=white foreground=black font_face=arial}^R/RT
F'\QL' Figure 15.1.2.4.2 QSU-brief Total Scores Arithmetic Mean and 95% CI â€¦ FAS";
proc sort data=plot; by trtord;run;

ods rtf style=t106343_g;

proc sgrender data=plot template=splot; /* applies the above template to the specified data */
FORMAT newvis XAXIS.;
run;

ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Note: mCC = Me
nthol conventional cigarettes; SA = Smoking abstinence; THSm2.2 = Tobacco Heating System 2.2 Menthol.";
ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Note: Baseline
is the last assessment prior to first product use in mCC/THS 2.2 arms on Day 1 or last assessment prior to 10:00 AM in SA a
ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Note: QSU-brie
f scores reported on a 7-point scale. Higher values indicate greater intensity of urge.";
ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL'";

ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Appendix 15.2.
4.52.2";
%let tflprg=f_qsutotal_fas;

ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Study ID:ZRHM-
```

%end;

%end;

%mend graph;

%graph;

ods \_all\_ close;

ods graphics / reset;

%m\_logchk;