

```

/*=====
| Covance Study Number   : 000000106343
| Program Name           : f_15_01_02_27_01.sas
| Purpose                 : Figure 15.1.2.27.1
| Input Data              : ADAM.ADBX
| Output Data             : F_15_01_02_27_01
| Macros Called           :
| Originally Performed by :Jyothsna Reddy
| Date                   : 20JUL2015
|
|=====
| Modification History
|-----
| Modified by            :
| Modification Date      :
| Modification Description :
|=====
+=====*/

```

```

options notes source source2 nofullstimer validvarname=upcase missing=' ';
ods _all_ close;

```

```

ods listing;
*=====;
* START OF PROGRAM CODE
*=====;
%m_printto;

```

```

%let tflno=F_15_01_02_27_01;
/* Standard - leave this */
%let TFL_Part=%scan(&_SASPROGRAMFILE,-3,%str());

```

```

data _null_;
    tmp="%TFL_Part";
    if tmp not in ("dev" "qc") then call symput("TFL_Part", "prod");
    call symput('TFLpath', compress(&_SASPROGRAMFILE,""));
run;

```

```

%put &tflpath;
ods _all_ close;

```

```

options notes source source2 nofullstimer validvarname=upcase
nonumber nodate orientation=portrait missing=' ';
ods graphics on;
ods graphics / height=12cm width=16cm noborder;
ods path reset;
/* please include styles template */
%include "/cvn/projects/prj/development/000000106343/dev/figures/figtplt.sas";
ods rtf toc_data file="/cvn/projects/prj/data/000000106343/TFL/dev/Tables/&tflno..rtf" style=t106343_g startpage=yes headery=1440 fo
otery=1440 ;
ods exclude all;

```

```

/****Day 90 data: 4H urine sample****/
data data1;
    set adam.adbx;
    where FASFL="Y" and avisitn in (190) and LBSPEC in ("URINE") and parcat2 in ("RISK MARKERS")
        and index(paramcd,"UGF2CRE4")>0 and ANL02FL="Y";
    keep usubjid avisitn parcat2 paramcd aval trta base avisit trtp trtpn ;
    rename aval=aval4 base=base4;
run;
proc sort; by usubjid avisitn ;run;

```

```

/****Day 90 data: 24H urine sample****/
data data2;
    set adam.adbx;
    where FASFL="Y" and avisitn in (190) and LBSPEC in ("URINE") and parcat2 in ("RISK MARKERS")
        and index(paramcd,"UPGF2CRE")>0 and ANL02FL="Y";
    keep usubjid avisitn parcat2 paramcd aval trta base avisit param;
    rename aval=aval24 base=base24;
run;

```

```

proc sort; by usubjid avisitn ;run;

```

```

/****mergring 4H and 24H data*/
data data3;
    merge data1(in=a drop=paramcd parcat2 trta) data2(in=b drop=paramcd parcat2);
    by usubjid avisitn avisit;
    if a or b;

```

```

run;

/**to calculate correlation***/
data data4;
    set data3(in=a keep=usubjid avisitn aval24 aval4 trta avisit param trtp trtpn)
        data3(in=b keep=usubjid avisitn base24 base4 trta avisit param trtp trtpn rename=(base4=aval4 base24=aval24));
    if b then visnum=0;
    if a then visnum=90;
    if visnum=0 then avisit="Baseline";
    avisitn = visnum;

run;

proc sort; by usubjid visnum;run;

proc sort data=data4; by avisit;run;
ods html;
proc corr data=data4 nomiss outs=corr noprint;
    var aval24 aval4;
run;
ods html close;

data corr2;
    set corr;
    where _name_="AVAL4";
    keep aval24 corr _type_;
    corr="r="||strip(put(aval24,8.4));
/* _type_ = input("1",best.);*/
run;

/**store correlation values as a macro variable***/
data _null_;
    set corr2;
    call symput("rcoef",corr);
run;
%put &rcoef;
/*****/
data data5;
    length _type_ $8.;
    set data4;

    _type_ = "CORR";
run;

proc sort;
    by usubjid;
run;

data data6(drop = _type_);
    merge data5 corr2(drop=aval24);
    by _type_;
run;

data tflds.&tflno.;
    set data6;
run;

PROC EXPORT
DATA=data6
DBMS=XLSX
OUTFILE="/cvn/projects/prj/data/000000106343/TFL/dev/Tables/&tflno..xlsx"
REPLACE;
SHEET=Sheet1;
QUIT;

proc sql;
    create table minmax as
    select max(aval4) as max4, min(aval4) as min4, max(aval24) as max24, min(aval24) as min24
    from data4
;
quit;

data _null_;
    set minmax;
    maxcol=max(max4, max24);
    call symput("min4", strip(put(floor(min4),best.)));

```

```

call symput("max4", strip(put(ceil(max4),best.)));
call symput("min24", strip(put(floor(min24),best.)));
call symput("max24", strip(put(ceil(max24),best.)));
call symput("max",strip(put(ceil(maxcol),best.)));
run;
%put &min4 &max4 &max24 &min24 &max;

/** create template***/
proc template;
  define statgraph splot ;
    beginngraph;

    layout lattice / columns=1 rows=1    rowdatarange=union columndatarange=union columngutter=15;

        layout overlay / border=false
            xaxisopts=(linearopts=(tickvaluesequence=(start=0 end=1300 increment=100) viewmin=0 viewmax=1300 TICKVALUEFITPOLICY=ROT
ATE) label="24hr Urine Sample")
            yaxisopts=(linearopts=(tickvaluesequence=(start=0 end=1300 increment=100) viewmin=0 viewmax=1300 ) label="4hr Urine Sa
mple")

            cycleattrs=false;

            drawtext textattrs=(style=italic size=10pt) "&rcoef" /
            anchor=top width=15 widthunit=percent xspace=wallpercent yspace=wallpercent x=10 y=95 justify=center ;

            scatterplot x=aval24 y=aval4 ;
        endlayout;

    endlayout;
  endgraph;
end;
run;

/** graph***/
ods select all;
ods rtf style=t106343_g;
ODS ESCAPECHAR='^';
ODS RTF PREPAGE="^S={outputwidth=100% just=1 font_size=12pt font_weight=bold background=white foreground=black font_face=arial}^R/RT
F'\QL' Figure 15.1.2.27.1 Scatter Plot of Urinary 8-epi-PGF2a Concentration Adjusted for Creatinine from 24 Hour Urine Colle

proc sgrender data=data4 template=splot; /* applies the above template to the specified data */
run;
ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' ";
ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Note: Baseline
is the last assessment prior to first product use in mCC/THS 2.2 arms on Day 1 or last assessment prior to 10:00 AM in SA a
ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Note: Data fro
m all 3 randomized groups are presented.";
ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL'";
ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Appendix 15.3.
3.1, 15.3.3.5.";
ODS RTF TEXT="^S={outputwidth=100% just=1 font_size=9pt background=white foreground=black font_face=arial}^R/RTF'\QL' Study ID: ZRHM
-REXA-08-US Program: f_sc_8epi.sas &sysdate Status: &status. (Page 1 of 1)";

ods _all_ close;
ods graphics / reset;
%m_logchk;

```